


FELT
BICYCLES



LIFESTYLE
PRODUCT LINE

2018



FELT HISTORY

There's nothing quite like experiencing the freedom of two wheels and the beauty of the outdoors, especially when you're riding a bike as unique as you. Whether it's a perfectly comfortable ride quality or a stunning paint job, you're seeking a bike that lets you roll the way you want and do things your own way. That's how Felt has been designing bikes for over 25 years, ever since company founder Jim Felt set out with a singular mission: to design, develop and deliver the best bicycles in the world.

Before starting his namesake company, Jim Felt cut his teeth in the two-wheel world of motorcycles as a top mechanic for some of the best teams in racing. This led to a world renowned bicycle frame-building career that saw Felt work with some of the sport's most dedicated racers, all in the name of optimizing rider position, advancing aesthetic design, and maximizing handling and stability. These traits live on in every single Felt bicycle, from road bikes to mountain bikes, and hybrids to cruisers. Likewise, Felt's latest Verza line features a unique model for every rider, whether they're looking for a speedy weekday commute, a leisurely weekend ride with friends or a slow roll down Main Street, all in perfect comfort and timeless style.

At Felt Bicycles, we've done things our way since the beginning, and that's what sets each and every Felt bicycle apart from its competitors. We strive to create unique and innovative features that create the perfect riding experience, all in the name of Jim Felt's original guiding vision. With countless new and exciting projects on the horizon, that principle remains the same to this day and well into the future: to design, develop and deliver the greatest bicycles in the world.

VERZA CRUZ

Got a penchant for style over speed, good times over stop signs, and a sweet ride over posing curbside? Then meet Verza Cruz, the most laid-back member of Felt's Verza family. Verza Fit Sizing allows riders of nearly any height to enjoy its smooth ride quality and timeless aesthetics. Heel-Toe Technology allows riders of all sizes to plant their entire foot, from heel to toe, firmly on the ground when the bike stops, while at the same time allowing the rider's entire leg to extend for maximum pedaling comfort and efficiency. It's the classic cruiser reimagined for the modern rider.





FINISH	SIZES	WEIGHT	
Matte Black	Felt Flex Fit		

FRAME Felt Cruz relaxed geometry, 6061 butted aluminum, TIG/Smooth welding, forged dropout, replaceable derailleur hanger

FORK Felt Cruz uni-crown steel, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Felt aluminum bar, Ø25.4mm, 130mm rise, 9° sweep, 710mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 3x7

FRONT DERAILLEUR Shimano Tourney, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Tourney

CRANKSET SR/Suntour XCE, 42/34/24T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro C310 aluminum v-type, anti-rust hardware

REAR BRAKE Tektro C310 aluminum v-type, anti-rust hardware

SADDLE Felt Cruz Comfort

SEATPOST Felt Rider Slider adjustable, Ø30.9mm

SEATPOST CLAMP Single bolt, Ø34.9mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Big Ben with K-guard and reflective strip, 50tpi, 27.5 x 2.0"

ACCESSORIES Aluminum bolt-on kickstand, aluminum fenders with stainless steel struts



FINISH	SIZES	WEIGHT	
Pearl White	Felt Flex Fit		

FRAME Felt Cruz relaxed geometry, 6061 butted aluminum, TIG/Smooth welding, forged dropout, replaceable derailleur hanger

FORK Felt Cruz uni-crown steel, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 60mm

HANDLEBAR Felt aluminum bar, Ø25.4mm, 142mm rise, 14° sweep, 710mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 3x7

FRONT DERAILLEUR Shimano Tourney, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Tourney

CRANKSET SR/Suntour XCE, 42/34/24T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro C310 aluminum v-type, anti-rust hardware

REAR BRAKE Tektro C310 aluminum v-type, anti-rust hardware

SADDLE Felt Cruz Comfort

SEATPOST Felt Rider Slider adjustable, Ø30.9mm

SEATPOST CLAMP Single bolt, Ø34.9mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Big Ben with K-guard and reflective strip, 50tpi, 27.5 x 2.0"

ACCESSORIES Aluminum bolt-on kickstand, aluminum fenders with stainless steel struts



FINISH	SIZES	WEIGHT	
Mint	Felt Flex Fit		

FRAME Felt Cruz relaxed geometry, 6061 butted aluminum, TIG/Smooth welding, forged dropout, replaceable derailleur hanger

FORK Felt Cruz uni-crown steel, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 60mm

HANDLEBAR Felt aluminum bar, Ø25.4mm, 142mm rise, 14° sweep, 710mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 3x7

FRONT DERAILLEUR Shimano Tourney, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Tourney

CRANKSET SR/Suntour XCE, 42/34/24T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro C310 aluminum v-type, anti-rust hardware

REAR BRAKE Tektro C310 aluminum v-type, anti-rust hardware

SADDLE Felt Cruz Comfort

SEATPOST Felt Rider Slider adjustable, Ø30.9mm

SEATPOST CLAMP Single bolt, Ø34.9mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Big Ben with K-guard and reflective strip, 50tpi, 27.5 x 2.0"

ACCESSORIES Aluminum bolt-on kickstand, aluminum fenders with stainless steel struts



FINISH	SIZES	WEIGHT	
Matte Vintage Blue	Felt Flex Fit		

FRAME Felt Cruz relaxed geometry, 6061 butted aluminum, TIG/Smooth welding, forged dropout, replaceable derailleur hanger

FORK Felt Cruz uni-crown steel, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Felt aluminum bar, Ø25.4mm, 130mm rise, 9° sweep, 710mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 1x7

REAR DERAILLEUR Shimano Tourney

CRANKSET 3-piece aluminum, 39T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro C310 aluminum v-type, anti-rust hardware

REAR BRAKE Tektro C310 aluminum v-type, anti-rust hardware

SADDLE Felt Cruz Comfort

SEATPOST Felt Rider Slider adjustable, Ø30.9mm

SEATPOST CLAMP Single bolt, Ø34.9mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Big Ben with K-guard and reflective strip, 50tpi, 27.5 x 2.0"

ACCESSORIES Aluminum bolt-on kickstand, chainguard



FINISH	SIZES	WEIGHT	
Matte Charcoal	Felt Flex Fit		

FRAME Felt Cruz relaxed geometry, 6061 butted aluminum, TIG/Smooth welding, forged dropout, replaceable derailleur hanger

FORK Felt Cruz uni-crown steel, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Felt aluminum bar, Ø25.4mm, 130mm rise, 9° sweep, 710mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 1x7

REAR DERAILLEUR Shimano Tourney

CRANKSET 3-piece aluminum, 39T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro C310 aluminum v-type, anti-rust hardware

REAR BRAKE Tektro C310 aluminum v-type, anti-rust hardware

SADDLE Felt Cruz Comfort

SEATPOST Felt Rider Slider adjustable, Ø30.9mm

SEATPOST CLAMP Single bolt, Ø34.9mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Big Ben with K-guard and reflective strip, 50tpi, 27.5 x 2.0"

ACCESSORIES Aluminum bolt-on kickstand, chainguard



FINISH	SIZES	WEIGHT	
Matte Olive	Felt Flex Fit		

FRAME Felt Cruz relaxed geometry, 6061 butted aluminum, TIG/Smooth welding, forged dropout, replaceable derailleur hanger

FORK Felt Cruz uni-crown steel, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 60mm

HANDLEBAR Felt aluminum bar, Ø25.4mm, 142mm rise, 14° sweep, 710mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 1x7

REAR DERAILLEUR Shimano Tourney

CRANKSET 3-piece aluminum, 39T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro C310 aluminum v-type, anti-rust hardware

REAR BRAKE Tektro C310 aluminum v-type, anti-rust hardware

SADDLE Felt Cruz Comfort

SEATPOST Felt Rider Slider adjustable, Ø30.9mm

SEATPOST CLAMP Single bolt, Ø34.9mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Big Ben with K-guard and reflective strip, 50tpi, 27.5 x 2.0"

ACCESSORIES Aluminum bolt-on kickstand, chainguard

VERZACRUZ 7 WOMEN



FINISH	SIZES	WEIGHT	
Rose	Felt Flex Fit		

FRAME Felt Cruz relaxed geometry, 6061 butted aluminum, TIG/Smooth welding, forged dropout, replaceable derailleur hanger

FORK Felt Cruz uni-crown steel, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 60mm

HANDLEBAR Felt aluminum bar, Ø25.4mm, 142mm rise, 14° sweep, 710mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 1x7

REAR DERAILLEUR Shimano Tourney

CRANKSET 3-piece aluminum, 39T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro C310 aluminum v-type, anti-rust hardware

REAR BRAKE Tektro C310 aluminum v-type, anti-rust hardware

SADDLE Felt Cruz Comfort

SEATPOST Felt Rider Slider adjustable, Ø30.9mm

SEATPOST CLAMP Single bolt, Ø34.9mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Big Ben with K-guard and reflective strip, 50tpi, 27.5 x 2.0"

ACCESSORIES Aluminum bolt-on kickstand, chainguard

VERZACRUZ 7 WOMEN



FINISH	SIZES	WEIGHT	
Misty Blue	Felt Flex Fit		

FRAME Felt Cruz relaxed geometry, 6061 butted aluminum, TIG/Smooth welding, forged dropout, replaceable derailleur hanger

FORK Felt Cruz uni-crown steel, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 60mm

HANDLEBAR Felt aluminum bar, Ø25.4mm, 142mm rise, 14° sweep, 710mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 1x7

REAR DERAILLEUR Shimano Tourney

CRANKSET 3-piece aluminum, 39T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro C310 aluminum v-type, anti-rust hardware

REAR BRAKE Tektro C310 aluminum v-type, anti-rust hardware

SADDLE Felt Cruz Comfort

SEATPOST Felt Rider Slider adjustable, Ø30.9mm

SEATPOST CLAMP Single bolt, Ø34.9mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Big Ben with K-guard and reflective strip, 50tpi, 27.5 x 2.0"

ACCESSORIES Aluminum bolt-on kickstand, chainguard

VERZACRUZ 7 WOMEN



FINISH	SIZES	WEIGHT	
Aqua	Felt Flex Fit		

FRAME Felt Cruz relaxed geometry, 6061 butted aluminum, TIG/Smooth welding, forged dropout, replaceable derailleur hanger

FORK Felt Cruz uni-crown steel, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 60mm

HANDLEBAR Felt aluminum bar, Ø25.4mm, 142mm rise, 14° sweep, 710mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 1x7

REAR DERAILLEUR Shimano Tourney

CRANKSET 3-piece aluminum, 39T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro C310 aluminum v-type, anti-rust hardware

REAR BRAKE Tektro C310 aluminum v-type, anti-rust hardware

SADDLE Felt Cruz Comfort

SEATPOST Felt Rider Slider adjustable, Ø30.9mm

SEATPOST CLAMP Single bolt, Ø34.9mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Schwalbe Big Ben with K-guard and reflective strip, 50tpi, 27.5 x 2.0"

ACCESSORIES Aluminum bolt-on kickstand, chainguard





VERZA SPEED

If a solid workout is your goal, the Verza Speed is your bike. With a lightweight aluminum frame inspired by Felt's performance range of road bikes, the Verza Speed is built to go fast. And thanks to its flat handlebar and comfortable riding position, it's an ideal companion for cruising around town. Its wide-range gearing gives you the ability to conquer any mountain ascent or steep city climb, while its disc brakes provide you with enough stopping power for any riding situation. Also a capable commuter, the Verza Speed is among Felt's most popular bikes.



FINISH Matte Carbon (Red, Charcoal)	SIZES 51, 54, 56, 58, 61cm	WEIGHT 21.90lbs, 9.93Kg	
---	--------------------------------------	-----------------------------------	---

FRAME Felt UHC Performance carbon fiber, MMC with InsideOut construction, threaded BB and carbon dropouts, flat mount disc, replaceable derailleur hanger, 12 x 142mm Syntace style thru axle, mechanical internal cable routing (electronic compatible)

FORK Felt Fitness Disc UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" aluminum steerer tube with integrated crown, flat mount disc mounting and 12 x 100mm thru axle

HEADSET FSA integrated sealed cartridge bearing, No.42 with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1.125" - 1.5"

STEM Felt VariableAngle, ±8°/±16° rise, Ø31.8mm, 51 - 54cm: 100mm, 56 - 58cm: 110mm, 61cm: 120mm

HANDLEBAR Felt flat bar, carbon, Ø31.8mm, 8° sweep, 51 - 56cm: 640mm, 58 - 61cm: 680mm

GRIPS Felt Ergonomic triple density with integrated bar end, Felt Bubble-Tech bar ends

SHIFTERS Shimano Metrea Rapidfire Plus, 2x11

FRONT DERAILLEUR Shimano Metrea, braze-on

REAR DERAILLEUR Shimano Metrea 11-speed long cage

CRANKSET Shimano Metrea, 46/32T, 51 - 54cm: 170mm, 56 - 61cm: 175mm

BOTTOM BRACKET Shimano sealed cartridge external, BSA threaded, 68mm

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano, 11-speed, 11-32T

BRAKE LEVERS Shimano Metrea

FRONT BRAKE Shimano Metrea flat mount hydraulic disc, 140mm Metrea rotor

REAR BRAKE Shimano Metrea flat mount hydraulic disc, 140mm Metrea rotor

SADDLE Selle Royal Look In Sport A200

SEATPOST Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm x 300mm

SEATPOST CLAMP Felt single bolt, Ø30.6mm

RIMS/WHEELSET Shimano Metrea wheelset

FRONT HUB Shimano Metrea, 12 x 100mm thru axle, Center Lock, 24H

REAR HUB Shimano Metrea, 10/11-speed, 12 x 142mm thru axle, Center Lock, 24H

SPOKES 2.0mm stainless steel

TIRES Vittoria Rubino Pro folding, Speed Shielding puncture protection, 700 x 28c



FINISH Matte Carbon (Orange, White)	SIZES 51, 54, 56, 58, 61cm	WEIGHT 21.90lbs, 9.93Kg	
---	--------------------------------------	-----------------------------------	---

FRAME Felt UHC Performance carbon fiber, MMC with InsideOut construction, threaded BB and carbon dropouts, flat mount disc, replaceable derailleur hanger, 12 x 142mm Syntace style thru axle, mechanical internal cable routing (electronic compatible)

FORK Felt Fitness Disc UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" aluminum steerer tube with integrated crown, flat mount disc mounting and 12 x 100mm thru axle

HEADSET FSA integrated sealed cartridge bearing, No.42 with Felt VariableHeight Cone Spacers (20mm PC, 4.5mm aluminum), 1.125" - 1.5"

STEM Felt VariableAngle, ±8°/±16° rise, Ø31.8mm, 51 - 54cm: 100mm, 56 - 58cm: 110mm, 61cm: 120mm

HANDLEBAR Felt SuperLite flat bar, butted aluminum, Ø31.8mm, 10° sweep, 51cm: 600mm, 54 - 56cm: 620mm, 58 - 61cm: 640mm

GRIPS Felt Ergonomic triple density with integrated bar end, Felt Bubble-Tech bar ends

SHIFTERS Shimano Sora Rapidfire Plus, 2x9

FRONT DERAILLEUR Shimano Sora, braze-on

REAR DERAILLEUR Shimano Sora 9-speed long cage

CRANKSET Shimano Sora, 50/34T, 51 - 54cm: 170mm, 56 - 61cm: 175mm

BOTTOM BRACKET Shimano sealed cartridge external, BSA threaded, 68mm

CHAIN Shimano 9-speed

FREEWHEEL/CASSETTE Shimano, 9-speed, 11-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro R310 flat mount hydraulic disc, 160mm rotor

REAR BRAKE Tektro R310 flat mount hydraulic disc, 140mm rotor

SADDLE Selle Royal Look In Sport A200

SEATPOST Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm x 300mm

SEATPOST CLAMP Felt single bolt, Ø30.6mm

RIMS/WHEELSET Felt Road Disc double wall, tubeless ready, 19mm inner width, 23mm depth

FRONT HUB Felt, 12 x 100mm thru axle, 6-bolt, 28H

REAR HUB Felt, 9-speed, 12 x 142mm thru axle, 6-bolt, 32H

SPOKES 2.0mm stainless steel

TIRES Vittoria Zaffiro Pro folding, 700 x 28c



FINISH	SIZES	WEIGHT	
Gloss Brushed Raw (Reflective Black)	XS (47), SM (51), MD (54), LG (56), XL (58), XXL (61cm)		

FRAME Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, tapered 1.125" - 1.5" head tube, flat mount disc standard, replaceable derailleur hanger

FORK Felt Fitness UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" aluminum steerer tube with integrated crown, flat mount disc mounting

HEADSET FSA integrated, No.42B-CUP, 1.125" - 1.5"

STEM Felt VariableAngle, ±8°/±16° rise, Ø31.8mm, XS: 80mm, SM/MD: 90mm, LG/XL: 100mm, XXL: 110mm

HANDLEBAR Felt SuperLite flat bar, butted aluminum, Ø31.8mm, 9° sweep, XS/SM/MD: 600mm, LG/XL/XXL: 640mm

GRIPS Felt Ergonomic triple density with integrated bar end, Felt Bubble-Tech bar ends

SHIFTERS Shimano RS700 Rapidfire Plus, 2x11

FRONT DERAILLEUR Shimano 105, clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano 105 11-speed long cage

CRANKSET Shimano RS510, 50/34T, XS: 165mm, SM: 170mm, MD/LG: 172.5mm, XL/XXL: 175mm

BOTTOM BRACKET Shimano sealed cartridge external, BSA threaded, 68mm

CHAIN Shimano 11-speed

FREEWHEEL/CASSETTE Shimano, 11-speed, 11-32T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro R310 flat mount hydraulic disc, 160mm rotor

REAR BRAKE Tektro R310 flat mount hydraulic disc, 140mm rotor

SADDLE Selle Royal Look In Sport A200

SEATPOST Felt Endurance Road UHC Performance carbon fiber, Ø27.2mm x 300mm

SEATPOST CLAMP Single bolt, Ø31.8mm

RIMS/WHEELSET Devox Road Disc double wall, tubeless ready, 17mm inner width, 22mm depth

FRONT HUB Felt, sealed cartridge bearing, 100mm QR, 6-bolt, 32H

REAR HUB Felt, sealed cartridge bearing, 11-speed, 135mm QR, 6-bolt, 32H

SPOKES 2.0mm stainless steel

TIRES Vittoria Randonneur Pro, folding, double shield puncture protection, reflective stripe, 120tpi, 700 x 32c



FINISH	SIZES	WEIGHT	
Matte Black (Reflective Blue)	XS (47), SM (51), MD (54), LG (56), XL (58), XXL (61cm)		

FRAME Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, tapered 1.125" - 1.5" head tube, flat mount disc standard, replaceable derailleur hanger

FORK Felt Fitness UHC Advanced carbon fiber monocoque construction, ControlTaper 1.125" - 1.5" aluminum steerer tube with integrated crown, flat mount disc mounting

HEADSET FSA integrated, No.42B-CUP, 1.125" - 1.5"

STEM Felt VariableAngle, ±8°/±16° rise, Ø31.8mm, XS: 80mm, SM/MD: 90mm, LG/XL: 100mm, XXL: 110mm

HANDLEBAR Felt SuperLite flat bar, butted aluminum, Ø31.8mm, 9° sweep, XS/SM/MD: 600mm, LG/XL/XXL: 640mm

GRIPS Felt Ergonomic triple density with integrated bar end, Felt Bubble-Tech bar ends

SHIFTERS Shimano Tiagra Rapidfire Plus, 2x10

FRONT DERAILLEUR Shimano Tiagra, clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Tiagra 10-speed long cage

CRANKSET FSA Omega Adventure, 50/34T, XS: 165mm --- SM: 170mm --- MD/LG: 172.5mm --- XL/XXL: 175mm

BOTTOM BRACKET FSA MegaExo sealed cartridge, BSA threaded, 68mm

CHAIN KMC 10-speed

FREEWHEEL/CASSETTE Shimano, 10-speed, 11-34T

BRAKE LEVERS Promax

FRONT BRAKE Promax F1 flat mount hydraulic disc, 160mm rotor

REAR BRAKE Promax F1 flat mount hydraulic disc, 140mm rotor

SADDLE Selle Royal Look In Sport A200

SEATPOST Endurance Road UHC Performance carbon fiber, Ø27.2mm x 300mm

SEATPOST CLAMP Single bolt, Ø31.8mm

RIMS/WHEELSET Devox Road Disc double wall, tubeless ready, 17mm inner width, 22mm depth

FRONT HUB 100mm QR, 6-bolt, 32H

REAR HUB 10-speed, 135mm QR, 6-bolt, 32H

SPOKES 2.0mm stainless steel

TIRES Vittoria Randonneur, double shield puncture protection, reflective stripe, 30tpi, 700 x 32c



FINISH	SIZES	WEIGHT	
Matte Charcoal (Reflective Black)	XS (47), SM (51), MD (54), LG (56), XL (58), XXL (61cm)		

FRAME Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, tapered 1.125" - 1.5" head tube, flat mount disc standard, replaceable derailleur hanger

FORK Felt Fitness F-Lite aluminum blades, 1.125" - 1.5" 4130 Cr-Mo steerer tube, flat mount disc tabs

HEADSET FSA integrated, No.42B-CUP, 1.125" - 1.5"

STEM Felt VariableAngle, ±8°/±16° rise, Ø31.8mm, XS: 80mm, SM/MD: 90mm, LG/XL: 100mm, XXL: 110mm

HANDLEBAR Felt SuperLite flat bar, butted aluminum, Ø31.8mm, 9° sweep, XS/SM/MD: 600mm, LG/XL/XXL: 640mm

GRIPS Felt Ergonomic triple density with integrated bar end, Felt Bubble-Tech bar ends

SHIFTERS Shimano Sora Rapidfire Plus, 2x9

FRONT DERAILLEUR Shimano Sora, clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Sora 9-speed long cage

CRANKSET FSA Tempo Adventure, 50/34T, XS: 165mm, SM: 170mm, MD/LG: 172.5mm, XL/XXL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN KMC 9-speed

FREEWHEEL/CASSETTE Shimano, 9-speed, 11-34T

BRAKE LEVERS Promax

FRONT BRAKE Promax F1 flat mount hydraulic disc, 160mm rotor

REAR BRAKE Promax F1 flat mount hydraulic disc, 140mm rotor

SADDLE Selle Royal Look In Sport A200

SEATPOST Aluminum double bolt micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP Single bolt, Ø31.8mm

RIMS/WHEELSET Devox Road Disc double wall, tubeless ready, 17mm inner width, 22mm depth

FRONT HUB 100mm QR, 6-bolt, 32H

REAR HUB 9-speed, 135mm QR, 6-bolt, 32H

SPOKES 2.0mm stainless steel

TIRES Vittoria Randonneur, double shield puncture protection, reflective stripe, 30tpi, 700 x 32c



FINISH	SIZES	WEIGHT	
Gloss Platinum (Reflective Black)	XS (47), SM (51), MD (54), LG (56), XL (58), XXL (61cm)		

FRAME Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, flat mount disc standard, replaceable derailleur hanger

FORK Felt Fitness F-Lite aluminum blades, 1-1/8" 4130 Cr-Mo steerer tube, flat mount disc tabs

HEADSET FSA semi-integrated, No.10, 1-1/8"

STEM F-Lite aluminum, ±17° rise, Ø31.8mm, XS: 80mm, SM/MD: 90mm, LG/XL: 100mm, XXL: 110mm

HANDLEBAR Felt SuperLite flat bar, butted aluminum, Ø31.8mm, 9° sweep, XS/SM/MD: 600mm, LG/XL/XXL: 640mm

GRIPS Felt Ergonomic double density with Felt Bubble-Tech bar ends

SHIFTERS Shimano M310 Rapidfire Plus, 3x8

FRONT DERAILLEUR Shimano M310, clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Acera M360, 8-speed long cage

CRANKSET SR/Suntour XCC, 48/38/28T, XS: 160mm, SM/MD: 170mm, LG/XL/XXL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN KMC 8-speed

FREEWHEEL/CASSETTE Shimano, 8-speed, 11-34T

BRAKE LEVERS Promax

FRONT BRAKE Promax flat mount mechanical disc, 160mm rotor

REAR BRAKE Promax flat mount mechanical disc, 160mm rotor

SADDLE Selle Royal Look In Sport A200

SEATPOST Aluminum double bolt micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP Single bolt, Ø31.8mm

RIMS/WHEELSET Devox Road Disc double wall, tubeless ready, 17mm inner width, 22mm depth

FRONT HUB 100mm QR, 6-bolt, 32H

REAR HUB 8/9-speed cassette, 135mm QR, 6-bolt, 32H

SPOKES 2.0mm stainless steel

TIRES Vittoria Randonneur, double shield puncture protection, reflective stripe, 30tpi, 700 x 32c

VERZASPEED 40



FINISH	SIZES	WEIGHT	
Gloss Chartreuse (Reflective Black)	XS (47), SM (51), MD (54), LG (56), XL (58), XXL (61cm)		

FRAME Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, flat mount disc standard, replaceable derailleur hanger

FORK Felt Fitness F-Lite aluminum blades, 1-1/8" 4130 Cr-Mo steerer tube, flat mount disc tabs

HEADSET FSA semi-integrated, No.10, 1-1/8"

STEM F-Lite aluminum, ±17° rise, Ø31.8mm, XS: 80mm, SM/MD: 90mm, LG/XL: 100mm, XXL: 110mm

HANDLEBAR Felt SuperLite flat bar, butted aluminum, Ø31.8mm, 9° sweep, XS/SM/MD: 600mm, LG/XL/XXL: 640mm

GRIPS Felt Ergonomic double density with Felt Bubble-Tech bar ends

SHIFTERS Shimano M310 Rapidfire Plus, 3x8

FRONT DERAILLEUR Shimano M310, clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Acera M360, 8-speed long cage

CRANKSET SR/Suntour XCC, 48/38/28T, XS: 160mm, SM/MD: 170mm, LG/XL/XXL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN KMC 8-speed

FREEWHEEL/CASSETTE Shimano, 8-speed, 11-34T

BRAKE LEVERS Promax

FRONT BRAKE Promax flat mount mechanical disc, 160mm rotor

REAR BRAKE Promax flat mount mechanical disc, 160mm rotor

SADDLE Selle Royal Look In Sport A200

SEATPOST Aluminum double bolt micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP Single bolt, Ø31.8mm

RIMS/WHEELSET Devox Road Disc double wall, tubeless ready, 17mm inner width, 22mm depth

FRONT HUB 100mm QR, 6-bolt, 32H

REAR HUB 8/9-speed cassette, 135mm QR, 6-bolt, 32H

SPOKES 2.0mm stainless steel

TIRES Vittoria Randonneur, double shield puncture protection, reflective stripe, 30tpi, 700 x 32c

VERZASPEED 40 WOMEN



FINISH	SIZES	WEIGHT	
Matte Obsidian (Reflective Lilac)	XS (47), SM (51), MD (54), LG (56)		

FRAME Felt Verza Speed, Superlite Butted aluminum, smooth TIG welding, flat mount disc standard, replaceable derailleur hanger

FORK Felt Fitness F-Lite aluminum blades, 1-1/8" 4130 Cr-Mo steerer tube, flat mount disc tabs

HEADSET FSA semi-integrated, No.10, 1-1/8"

STEM F-Lite aluminum, ±17° rise, Ø31.8mm, XS: 60mm, SM: 70mm, MD: 80mm, LG: 90mm

HANDLEBAR Felt SuperLite flat bar, butted aluminum, Ø31.8mm, 9° sweep, XS/SM/MD: 600mm, LG: 640mm

GRIPS Felt Ergonomic double density with Felt Bubble-Tech bar ends

SHIFTERS Shimano M310 Rapidfire Plus, 3x8

FRONT DERAILLEUR Shimano M310, clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Acera M360, 8-speed long cage

CRANKSET SR/Suntour XCC, 48/38/28T, XS: 160mm, SM/MD: 170mm, LG: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN KMC 8-speed

FREEWHEEL/CASSETTE Shimano, 11-34T, 8-speed

BRAKE LEVERS Promax

FRONT BRAKE Promax flat mount mechanical disc, 160mm rotor

REAR BRAKE Promax flat mount mechanical disc, 160mm rotor

SADDLE Selle Royal Look In Sport A200

SEATPOST Aluminum double bolt micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP Single bolt, Ø31.8mm

RIMS/WHEELSET Devox Road Disc double wall, tubeless ready, 17mm inner width, 22mm depth

FRONT HUB 100mm QR, 6-bolt, 32H

REAR HUB 8/9-speed cassette, 135mm QR, 6-bolt, 32H

SPOKES 2.0mm stainless steel

TIRES Vittoria Randonneur, double shield puncture protection, reflective stripe, 30tpi, 700 x 32c



FINISH	SIZES	WEIGHT	
Matte Black (Reflective Silver)	XS (47), SM (51), MD (54), LG (56), XL (58), XXL (61cm)		

FRAME Felt Verza Speed, F-Lite aluminum, smooth TIG welding, v-type brake mounts, replaceable derailleur hanger

FORK Felt Fitness steel blades, 1-1/8" steerer tube, v-type brake mounts

HEADSET FSA semi-integrated, No.10, 1-1/8"

STEM F-Lite aluminum, ±15° rise, Ø31.8mm, XS: 80mm, SM/MD: 90mm, LG/XL: 100mm, XXL: 110mm

HANDLEBAR Felt F-Lite flat bar, aluminum, Ø31.8mm, 10° sweep, XS/SM/MD: 600mm, LG/XL/XXL: 640mm

GRIPS Ergonomic, soft density

BAR ENDS/CAPS

SHIFTERS Shimano EF500 EZ Fire Plus, 3x7

FRONT DERAILLEUR Shimano Tourney, clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Altus 7/8-speed long cage

CRANKSET SR/Suntour XCC, 48/38/28T, XS: 160mm, SM/MD: 170mm, LG/XL/XXL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Shimano, with shifters

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Selle Royal Freccia with Royal Gel

SEATPOST Aluminum micro-adjust, Ø27.2mm x 350mm

SEATPOST CLAMP Single bolt, Ø31.8mm

RIMS/WHEELSET Devox Road, double wall, 19mm inner width, 20mm depth

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES CST Ciudad, Kevlar puncture protection, reflective stripe, 60tpi, 700 x 32c



FINISH	SIZES	WEIGHT	
Matte Orange (Reflective Black)	XS (47), SM (51), MD (54), LG (56), XL (58), XXL (61cm)		

FRAME Felt Verza Speed, F-Lite aluminum, smooth TIG welding, v-type brake mounts, replaceable derailleur hanger

FORK Felt Fitness steel blades, 1-1/8" steerer tube, v-type brake mounts

HEADSET FSA semi-integrated, No.10, 1-1/8"

STEM F-Lite aluminum, ±15° rise, Ø31.8mm, XS: 80mm, SM/MD: 90mm, LG/XL: 100mm, XXL: 110mm

HANDLEBAR Felt F-Lite flat bar, aluminum, Ø31.8mm, 10° sweep, XS/SM/MD: 600mm, LG/XL/XXL: 640mm

GRIPS Ergonomic, soft density

SHIFTERS Shimano EF500 EZ Fire Plus, 3x7

FRONT DERAILLEUR Shimano Tourney, clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Altus 7/8-speed long cage

CRANKSET SR/Suntour XCC, 48/38/28T, XS: 160mm, SM/MD: 170mm, LG/XL/XXL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Shimano, with shifters

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Selle Royal Freccia with Royal Gel

SEATPOST Aluminum micro-adjust, Ø27.2mm x 350mm

SEATPOST CLAMP Single bolt, Ø31.8mm

RIMS/WHEELSET Devox Road, double wall, 19mm inner width, 20mm depth

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES CST Ciudad, Kevlar puncture protection, reflective stripe, 60tpi, 700 x 32c

VERZASPEED 50 WOMEN



FINISH
Gloss Pearl White (Reflective Silver)

SIZES
XS (47), SM (51), MD (54), LG (56)

WEIGHT

FRAME Felt Verza Speed Step-Thru, F-Lite aluminum, smooth TIG welding, v-type brake mounts, replaceable derailleur hanger

FORK Felt Fitness steel blades, 1-1/8" steerer tube, v-type brake mounts

HEADSET FSA semi-integrated, No.10, 1-1/8"

STEM F-Lite aluminum, ±15° rise, Ø31.8mm, XS: 60mm, SM: 70mm, MD: 80mm, LG: 90mm

HANDLEBAR Felt F-Lite flat bar, aluminum, Ø31.8mm, 10° sweep, XS/SM/MD: 600mm, LG/XL/XXL: 640mm

GRIPS Ergonomic, soft density

SHIFTERS Shimano EF500 EZ Fire Plus, 3x7

FRONT DERAILLEUR Shimano Tourney clamp-on, Ø31.8mm

REAR DERAILLEUR Shimano Altus 7/8-speed long cage

CRANKSET SR/Suntour XCC, 48/38/28T, XS: 160mm, SM/MD: 170mm, LG: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Shimano, with shifters

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Selle Royal Ariel Women's specific with Royal Gel

SEATPOST Aluminum micro-adjust, Ø27.2mm x 350mm

SEATPOST CLAMP Single bolt, Ø31.8mm

RIMS/WHEELSET Devox Road, double wall, 19mm inner width, 20mm depth

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES CST Ciudad Kenda 60tpi, Kevlar puncture protection, reflective stripe, 700 x 32c



VERZA PATH

Equally at home on both paved roads and dirt trails, the Verza Path is one of the most versatile bikes in the Felt range. The Verza Path's upright riding position gives it a high level of comfort while its wide gear range means that no landscape is off-limits. Perfect for leisurely weekend rides and workday commutes, alike, the Verza Path seamlessly transitions into any riding situation with its comfort, stability and timeless style.



VERZAPATH 40



FINISH	SIZES	WEIGHT	
Gloss Black Pearl	SM (16”), MD (18”), LG (20”), XL (22”)		

FRAME Felt Verza Path, Superlite butted aluminum, forged dropouts, TIG welding, replaceable derailleur hanger, fender and carrier compatible

FORK SR/Suntour NEX P, 63mm travel, threaded 1-1/8” steerer tube

HEADSET Semi-integrated, threaded, 1-1/8”

STEM Aluminum, quill, angle adjustable +50°/-10° rise/drop, Ø25.4mm, SM/MD: 90mm, LG/XL: 110mm

HANDLEBAR F-Lite aluminum, Ø25.4mm, 45mm rise, 15° sweep, 700mm wide

GRIPS Felt anatomic Gel-VexK double density

SHIFTERS Shimano Revo twist grip, 3x8

FRONT DERAILLEUR Shimano Altus, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Acera

CRANKSET SR/Suntour XCE, aluminum outer chainring, 48/38/28T, SM/MD: 170mm, LG/XL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 73mm

CHAIN SunRace 8-speed

FREEWHEEL/CASSETTE SunRace, 8-speed, 13-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Selle Royal Nuvola, gel padding

SEATPOST Suspension type, aluminum post and micro-adjust head, Ø27.2mm x 350mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB 8-speed cassette, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Kenda Khan, reflective sidewall, 30tpi, 700 x 50c

VERZAPATH 40 WOMEN



FINISH	SIZES	WEIGHT	
Gloss Silver	SM (13”), MD (16”), TALL (19”)		

FRAME Felt Verza Path Step-Thru, Superlite butted aluminum, forged dropouts, TIG welding, replaceable derailleur hanger, fender and carrier compatible

FORK SR/Suntour NEX P, 63mm travel, threaded 1-1/8” steerer tube

HEADSET Semi-integrated, threaded, 1-1/8”

STEM Aluminum, quill, angle adjustable +50°/-10° rise/drop, Ø25.4mm, ext. 90mm

HANDLEBAR F-Lite aluminum, Ø25.4mm, 45mm rise, 30° sweep, 620mm wide

GRIPS Felt anatomic Gel-VexK double density

SHIFTERS Shimano Revo twist grip, 3x8

FRONT DERAILLEUR Shimano Altus, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Acera

CRANKSET SR/Suntour XCE, aluminum outer chainring, 48/38/28T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 73mm

CHAIN SunRace 8-speed

FREEWHEEL/CASSETTE SunRace, 8-speed, 13-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Selle Royal Nuvola, gel padding

SEATPOST Suspension type, aluminum post and micro-adjust head, Ø27.2mm x 350mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB 8-speed cassette, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Kenda Khan, reflective sidewall, 30tpi, 700 x 50c

VERZAPATH 50



FINISH	SIZES	WEIGHT	
Matte Dark Grey	SM (16"), MD (18"), LG (20"), XL (22")		

FRAME Felt Verza Path, Superlite butted aluminum, forged dropouts, TIG welding, replaceable derailleur hanger, fender and carrier compatible

FORK Felt Verza Path steel uni-crown, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum/steel, quill, 40° rise, Ø25.4 SM: 75mm, MD: 90mm, LG/XL: 105mm

HANDLEBAR Steel, Ø25.4mm, 45mm rise, 15° sweep, 700mm wide

GRIPS Felt anatomic Gel-VexK double density

SHIFTERS Shimano Revo twist grip, 3x7

FRONT DERAILLEUR Shimano Tourney, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Altus

CRANKSET SR/Suntour XCC, 48/38/28T, SM/MD: 170mm, LG/XL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 73mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Selle Royal Nuvola, standard padding

SEATPOST Aluminum micro-adjust, Ø27.2mm x 350mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Kenda Khan, reflective sidewall, 30tpi, 700 x 50c

VERZAPATH 50 WOMEN



FINISH	SIZES	WEIGHT	
Gloss Dusty Blue	SM (13"), MD (16"), TALL (19")		

FRAME Felt Verza Path Step-Thru, Superlite butted aluminum, forged dropouts, TIG welding, replaceable derailleur hanger, fender and carrier compatible

FORK Felt Verza Path steel uni-crown, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum/steel, quill, 40° rise, Ø25.4, SM: 75mm, MD: 90mm, TALL: 105mm

HANDLEBAR Steel, Ø25.4mm, 45mm rise, 30° sweep, 620mm wide

GRIPS Felt anatomic Gel-VexK double density

SHIFTERS Shimano Revo twist grip, 3x7

FRONT DERAILLEUR Shimano Tourney, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Altus

CRANKSET SR/Suntour XCC, 48/38/28T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 73mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Selle Royal Nuvola, standard padding



FINISH	SIZES	WEIGHT	
Gloss Dark Blue	SM (16"), MD (18"), LG (20"), XL (22")		

FRAME Felt Verza Path, Superlite butted aluminum, forged dropouts, TIG welding, replaceable derailleur hanger, fender and carrier compatible

FORK Felt Verza Path steel uni-crown, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum, quill, 35° rise, Ø25.4, ext. 90mm

HANDLEBAR Steel, Ø25.4mm, 75mm rise, 15° sweep, 700mm wide

GRIPS Anatomic Gel-Kraton double density

BAR ENDS/CAPS

SHIFTERS MicroSHIFT twist grip, 3x7

FRONT DERAILLEUR MicroSHIFT, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Tourney

CRANKSET 3-piece aluminum, 48/38/28T, SM/MD: 170mm, LG/XL: 175mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 73mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Selle Royal Moderate, steel mounting guts

SEATPOST Steel with tapered top, Ø27.2mm x 350mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Single-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Kenda Khan, reflective logo, 22tpi, 700 x 45c



FINISH	SIZES	WEIGHT	
Gloss Light Yellow	SM (13"), MD (16"), TALL (19")		

FRAME Felt Verza Path Step-Thru, Superlite butted aluminum, forged dropouts, TIG welding, replaceable derailleur hanger, fender and carrier compatible

FORK Felt Verza Path steel uni-crown, threaded 1-1/8" steerer tube

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum, quill, 35° rise, Ø25.4, ext. 90mm

HANDLEBAR Steel, Ø25.4mm, 75mm rise, 30° sweep, 620mm wide

GRIPS Anatomic Gel-Kraton double density

SHIFTERS MicroSHIFT twist grip, 3x7

FRONT DERAILLEUR MicroSHIFT, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Tourney

CRANKSET 3-piece aluminum, 48/38/28T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 73mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Tektro

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Selle Royal Moderate, steel mounting guts

SEATPOST Steel with tapered top, Ø27.2mm x 350mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Single-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Kenda Khan, reflective logo, 22tpi, 700 x 45c




VERZA CAFÉ

With its relaxed riding position and all-day comfort, the Verza Café is ideal for leisurely rides and running errands around town. Its classic style was inspired by the incredibly popular city bikes of Europe, and will undoubtedly turn heads wherever you go. And with its upright riding position and plenty of gears at its disposal, the Verza Café is capable of comfortably traversing any urban or rural landscape.

VERZACAFÉ 24 DELUXE



FINISH	SIZES	WEIGHT	
Matte Gunpowder	MD (17”), LG (19”), XL (21”)	29.5lbs, 13.5Kg	

FRAME Felt Café relaxed geometry, Butted 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café bonded crown, 1-1/8” 4130 Cr-Mo steerer tube and aluminum blades

HEADSET Semi-integrated, threaded, 1-1/8”

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, MD: 60mm, LG/XL: 80mm

HANDLEBAR Felt aluminum touring bar, gender-specific shape, Ø25.4mm, 30mm rise, 695mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 3x8

FRONT DERAILLEUR Shimano Altus, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Claris long cage

CRANKSET Polished 3-piece aluminum, 42/32/22T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 8-speed

FREEWHEEL/CASSETTE SunRace, 8-speed, 11-32T

BRAKE LEVERS Tektro aluminum with Kraton rubber comfort inserts

FRONT BRAKE Tektro 855 aluminum v-type, anti-rust hardware with power modulator

REAR BRAKE Tektro 855 aluminum v-type, anti-rust hardware

SADDLE Felt Café, vacuum formed comfort gel and foam, gender-specific shapes

SEATPOST Aluminum micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB 8-speed cassette, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Felt Café skinwall, puncture resistant, 60tpi, 700 x 38c

ACCESSORIES Felt cup holder, clip-on saddle bag, aluminum rear rack, aluminum fenders with stainless steel struts, safety bell, aluminum bolt-on kickstand

VERZACAFÉ 24 DELUXE WOMEN



FINISH	SIZES	WEIGHT	
Pistachio	SM (16”), MD (18”)	29.3lbs, 13.5Kg	

FRAME Felt Café relaxed geometry, Butted 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café bonded crown, 1-1/8” 4130 Cr-Mo steerer tube and aluminum blades

HEADSET Semi-integrated, threaded, 1-1/8”

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, SM: 60mm, MD: 80mm

HANDLEBAR Felt aluminum touring bar, gender-specific shape, Ø25.4mm, 90mm rise, 695mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 3x8

FRONT DERAILLEUR Shimano Altus, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Claris long cage

CRANKSET Polished 3-piece aluminum, 42/32/22T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 8-speed

FREEWHEEL/CASSETTE SunRace, 8-speed, 11-32T

BRAKE LEVERS Tektro aluminum with Kraton rubber comfort inserts

FRONT BRAKE Tektro 855 aluminum v-type, anti-rust hardware with power modulator

REAR BRAKE Tektro 855 aluminum v-type, anti-rust hardware

SADDLE Felt Café, vacuum formed comfort gel and foam, gender-specific shapes

SEATPOST Aluminum micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB 8-speed cassette, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Felt Café 60tpi skinwall, puncture resistant 700 x 38c

ACCESSORIES Felt cup holder, clip-on saddle bag, aluminum rear rack, aluminum fenders with stainless steel struts, safety bell, aluminum bolt-on kickstand

VERZACAFÉ 24 DELUXE WOMEN



FINISH	SIZES	WEIGHT	
Matte Blue	SM (16"), MD (18")	29.3lbs, 13.5Kg	

FRAME Felt Café relaxed geometry, Butted 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café bonded crown, 1-1/8" 4130 Cr-Mo steerer tube and aluminum blades

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, SM: 60mm, MD: 80mm

HANDLEBAR Felt aluminum touring bar, gender-specific shape, Ø25.4mm, 90mm rise, 695mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 3x8

FRONT DERAILLEUR Shimano Altus, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Claris long cage

CRANKSET Polished 3-piece aluminum, 42/32/22T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 8-speed

FREEWHEEL/CASSETTE SunRace, 8-speed, 11-32T

BRAKE LEVERS Tektro aluminum with Kraton rubber comfort inserts

FRONT BRAKE Tektro 855 aluminum v-type, anti-rust hardware with power modulator

REAR BRAKE Tektro 855 aluminum v-type, anti-rust hardware

SADDLE Felt Café, vacuum formed comfort gel and foam, gender-specific shapes

SEATPOST Aluminum micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB 8-speed cassette, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Felt Café 60tpi skinwall, puncture resistant 700 x 38c

ACCESSORIES Felt cup holder, clip-on saddle bag, aluminum rear rack, aluminum fenders with stainless steel struts, safety bell, aluminum bolt-on kickstand

VERZACAFÉ 24 DELUXE WOMEN



FINISH	SIZES	WEIGHT	
Cream	SM (16"), MD (18")	29.3lbs, 13.5Kg	

FRAME Felt Café relaxed geometry, Butted 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café bonded crown, 1-1/8" 4130 Cr-Mo steerer tube and aluminum blades

HEADSET Semi-integrated, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, SM: 60mm, MD: 80mm

HANDLEBAR Felt aluminum touring bar, gender-specific shape, Ø25.4mm, 90mm rise, 695mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 3x8

FRONT DERAILLEUR Shimano Altus, band-type, Ø31.8mm

REAR DERAILLEUR Shimano Claris long cage

CRANKSET Polished 3-piece aluminum, 42/32/22T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 8-speed

FREEWHEEL/CASSETTE SunRace, 8-speed, 11-32T

BRAKE LEVERS Tektro aluminum with Kraton rubber comfort inserts

FRONT BRAKE Tektro 855 aluminum v-type, anti-rust hardware with power modulator

REAR BRAKE Tektro 855 aluminum v-type, anti-rust hardware

SADDLE Felt Café, vacuum formed comfort gel and foam, gender-specific shapes

SEATPOST Aluminum micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB 8-speed cassette, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Felt Café 60tpi skinwall, puncture resistant 700 x 38c

ACCESSORIES Felt cup holder, clip-on saddle bag, aluminum rear rack, aluminum fenders with stainless steel struts, safety bell, aluminum bolt-on kickstand



FINISH Matte Blackout	SIZES MD (17”), LG (19”), XL (21”)	WEIGHT 28.1lbs, 12.8Kg	
---------------------------------	--	----------------------------------	---

FRAME Felt Café relaxed geometry, 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café uni-crown, 1-1/8” 4130 Cr-Mo steerer tube and blades

HEADSET Semi-integrated, threaded, 1-1/8”

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, MD: 60mm, LG/XL: 80mm

HANDLEBAR Felt aluminum touring bar, gender-specific shape, Ø25.4mm, 30mm rise, 695mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 1x7

REAR DERAILLEUR Shimano Claris short cage

CRANKSET 3-piece aluminum, double chainguard, 38T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 13-28T

BRAKE LEVERS Tektro aluminum with Kraton rubber comfort inserts and integrated bell

FRONT BRAKE Tektro 855 aluminum v-type, anti-rust hardware with power modulator

REAR BRAKE Tektro 855 aluminum v-type, anti-rust hardware

SADDLE Felt Café, vacuum formed comfort gel and foam, gender-specific shapes

SEATPOST Aluminum micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Felt Café skinwall, 30tpi, 700 x 38c

ACCESSORIES Felt aluminum cup holder, safety bell in brake lever, aluminum bolt-on kickstand



FINISH Robin Egg Blue	SIZES SM (16”), MD (18”)	WEIGHT 27.9lbs, 12.8Kg	
---------------------------------	------------------------------------	----------------------------------	---

FRAME Felt Café relaxed geometry, 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café uni-crown, 1-1/8” 4130 Cr-Mo steerer tube and blades

HEADSET Semi-integrated, threaded, 1-1/8”

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, SM: 60mm, MD: 80mm

HANDLEBAR Felt aluminum touring bar, gender-specific shape, Ø25.4mm, 90mm rise, 695mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 1x7

REAR DERAILLEUR Shimano Claris short cage

CRANKSET 3-piece aluminum, double chainguard, 38T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 13-28T

BRAKE LEVERS Tektro aluminum with Kraton rubber comfort inserts and integrated bell

FRONT BRAKE Tektro 855 aluminum v-type, anti-rust hardware with power modulator

REAR BRAKE Tektro 855 aluminum v-type, anti-rust hardware

SADDLE Felt Café, vacuum formed comfort gel and foam, gender-specific shapes

SEATPOST Aluminum micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Felt Café skinwall, 30tpi, 700 x 38c

ACCESSORIES Felt aluminum cup holder, safety bell in brake lever, aluminum bolt-on kickstand



FINISH	SIZES	WEIGHT	
Stardust Black	SM (16”), MD (18”)	27.9lbs, 12.8Kg	

FRAME Felt Café relaxed geometry, 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café uni-crown, 1-1/8” 4130 Cr-Mo steerer tube and blades

HEADSET Semi-integrated, threaded, 1-1/8”

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, SM: 60mm, MD: 80mm

HANDLEBAR Felt aluminum touring bar, gender-specific shape, Ø25.4mm, 90mm rise, 695mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 1x7

REAR DERAILLEUR Shimano Claris short cage

CRANKSET 3-piece aluminum, double chainguard, 38T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 13-28T

BRAKE LEVERS Tektro aluminum with Kraton rubber comfort inserts and integrated bell

FRONT BRAKE Tektro 855 aluminum v-type, anti-rust hardware with power modulator

REAR BRAKE Tektro 855 aluminum v-type, anti-rust hardware

SADDLE Felt Café, vacuum formed comfort gel and foam, gender-specific shapes

SEATPOST Aluminum micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Felt Café skinwall, 30tpi, 700 x 38c

ACCESSORIES Felt aluminum cup holder, safety bell in brake lever, aluminum bolt-on kickstand



FINISH	SIZES	WEIGHT	
Violet	SM (16”), MD (18”)	27.9lbs, 12.8Kg	

FRAME Felt Café relaxed geometry, 6061 aluminum, Hydroform top tube, TIG welding, forged dropout, replaceable derailleur hanger

FORK Felt Café uni-crown, 1-1/8” 4130 Cr-Mo steerer tube and blades

HEADSET Semi-integrated, threaded, 1-1/8”

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, SM: 60mm, MD: 80mm

HANDLEBAR Felt aluminum touring bar, gender-specific shape, Ø25.4mm, 90mm rise, 695mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo twist grip, 1x7

REAR DERAILLEUR Shimano Claris short cage

CRANKSET 3-piece aluminum, double chainguard, 38T, 170mm

BOTTOM BRACKET Sealed cartridge, BSA threaded, square taper axle, 68mm

CHAIN SunRace 7-speed

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 13-28T

BRAKE LEVERS Tektro aluminum with Kraton rubber comfort inserts and integrated bell

FRONT BRAKE Tektro 855 aluminum v-type, anti-rust hardware with power modulator

REAR BRAKE Tektro 855 aluminum v-type, anti-rust hardware

SADDLE Felt Café, vacuum formed comfort gel and foam, gender-specific shapes

SEATPOST Aluminum micro-adjust, Ø27.2mm x 330mm

SEATPOST CLAMP QR type, Ø31.8mm

RIMS/WHEELSET Double-wall aluminum

FRONT HUB Aluminum, 100mm QR, 32H

REAR HUB Thread-on type, aluminum, 135mm QR, 32H

SPOKES 2.0mm stainless steel

TIRES Felt Café skinwall, 30tpi, 700 x 38c

ACCESSORIES Felt aluminum cup holder, safety bell in brake lever, aluminum bolt-on kickstand



CRUISERS

No bicycle embodies freedom of expression better than the cruiser, and Felt's line of cruiser bicycles showcases some of the most unique in the world. They evoke cultural movements, embody contemporary and timeless style, and promote an easy-going lifestyle characterized by a passion for fresh air and sunshine. Whether you're heading down to the beach boardwalk or rolling across town, Felt's Cruiser series will get you there in style. Each model in Felt's Cruiser series is built around a rugged frame for durability and features an upright riding position for all-day comfort.

REDBARON 3-SP



FINISH	SIZES	WEIGHT	
Black	18" Men's	37.7lbs. 17.1Kg	

FRAME Felt hydroformed tank, aluminum, with Drillium frame plates and carrier bosses

FORK Uni-crown steel, curved blades, threadless 1-1/8" steerer tube

HEADSET FSA semi-integrated, No.10, 1-1/8"

STEM Front mount 4-bolt, aluminum, Ø22.2mm, ext. 50mm

HANDLEBAR Felt low-rise cruiser, Ø22.2mm, 65mm rise, 670mm wide

GRIPS Felt Kraton rubber

SHIFTERS Shimano Revo 3-speed twist

CRANKSET 1-pc heat-treated steel, Felt Drillium aluminum chainring 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

REAR BRAKE Coaster brake

SADDLE Felt custom low-profile nose-springer with paneled cover and rivets

SEATPOST Ø27.2 x 350mm

SEATPOST CLAMP Single bolt with nut bar, Ø31.8mm

RIMS/WHEELSET Felt aluminum 50mm super wide

FRONT HUB Felt 5 star hi-flange aluminum, 3/8" nutted axle, 36H

REAR HUB Shimano Nexus 3-speed, 127mm OLD, 36H

SPOKES Heavy Duty 13G stainless steel

TIRES Felt Quick Brick 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand, aluminum valve caps

DEEPSIX 1-SP



FINISH	SIZES	WEIGHT	
Antique Blue	18" Men's	44lbs, 20Kg	

FRAME Felt hydroformed tank, aluminum, with Drillium frame plates and carrier bosses

FORK Felt Abe Linkage springer fork, threadless 1-1/8" steerer tube

HEADSET FSA semi-integrated, No.10, 1-1/8"

STEM Front mount 4-bolt, aluminum, Ø22.2mm, ext. 50mm

HANDLEBAR Felt Down-on-the-Upside, aluminum, Ø31.8mm, 100mm rise or fall, 660mm wide

GRIPS Half waffle pattern, single side lock-on rings

CRANKSET 1-pc heat-treated steel, Felt Drillium aluminum chainring 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 20T single cassette

BRAKE LEVERS Tektro

REAR BRAKE Tektro M280 cable actuated mechanical disc caliper with 160mm rotor

SADDLE Felt custom low-profile nose-springer with paneled cover and rivets

SEATPOST Ø27.2 x 350mm

SEATPOST CLAMP Single bolt with nut bar, Ø31.8mm

RIMS/WHEELSET Felt aluminum 50mm super wide

FRONT HUB Felt 5 star hi-flange aluminum, 3/8" nutted axle, 36H

REAR HUB 1-speed cassette, aluminum, 3/8" nutted axle, 135mm OLD, 6-bolt disc, 36H

SPOKES Heavy Duty 12G stainless steel

TIRES Felt Thick Brick 24 x 3"

ACCESSORIES Felt steel chainguard with Drillium treatment, aluminum valve caps, integrated kickstand

FAYEWOMENS 3-SP



FINISH	SIZES	WEIGHT	
Deco Purple	17" Women's	42.5lbs, 19.3Kg	

FRAME Felt hydroformed tank, steel, with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Felt Swoop cruiser, Ø25.4mm, 230mm rise, 675mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo 3-speed twist

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

REAR BRAKE Coaster brake

SADDLE Felt custom springer with paneled cover

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Felt mid flange aluminum, 3/8" nutted axle, 36H

REAR HUB Shimano Nexus 3-speed, 127mm OLD, 36H

SPOKES 14G stainless steel

TIRES Felt Quick Brick 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand, aluminum valve caps, steel full coverage fenders

CLAIREWOMENS 3-SP



FINISH	SIZES	WEIGHT	
Ivory	17" Women's	42.9lbs, 19.5Kg	

FRAME Felt hydroformed tank, steel, with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Felt Swoop cruiser, Ø25.4mm, 230mm rise, 675mm wide

GRIPS Felt Kraton rubber, vinyl wrapped and stitched

SHIFTERS Shimano Revo 3-speed twist

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

REAR BRAKE Coaster brake

SADDLE Felt custom springer with paneled cover

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 32mm wide

FRONT HUB Felt mid flange aluminum, 3/8" nutted axle, 36H

REAR HUB Shimano Nexus 3-speed, 127mm OLD, 36H

SPOKES 14G stainless steel

TIRES Felt Quick Brick 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand, aluminum valve caps, steel full coverage fenders



FINISH	SIZES	WEIGHT	
Rusty Brown	18" Men's	40lbs, 18.1Kg	

FRAME Felt classic curved cantilever steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Tourney direct mount

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z50, 3/32"

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB Thread-on freewheel, steel shell, 3/8" nutted axle, 135mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand



FINISH	SIZES	WEIGHT	
Slater Blue	18" Men's	40lbs, 18.1Kg	

FRAME Felt classic curved cantilever steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Tourney direct mount

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z50, 3/32"

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB Thread-on freewheel, steel shell, 3/8" nutted axle, 135mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand



FINISH	SIZES	WEIGHT	
Matte Black Pearl	17" Women's	41.5lbs, 18.8Kg	

FRAME Felt classic curved steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Tourney direct mount

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z50, 3/32"

FREEWHEEL/CASSETTE SunRace 7-speed free-wheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB Thread-on freewheel, steel shell, 3/8" nutted axle, 135mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand, steel full coverage fenders



FINISH	SIZES	WEIGHT	
Aquamarine	17" Women's	41.5lbs, 18.8Kg	

FRAME Felt classic curved steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Tourney direct mount

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z50, 3/32"

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB Thread-on freewheel, steel shell, 3/8" nutted axle, 135mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand, steel full coverage fenders



FINISH	SIZES	WEIGHT	
Coral	17" Women's	41.5lbs, 18.8Kg	

FRAME Felt classic curved steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

SHIFTERS Shimano Revo 7-speed twist

REAR DERAILLEUR Shimano Tourney direct mount

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z50, 3/32"

FREEWHEEL/CASSETTE SunRace 7-speed freewheel, 14-34T

BRAKE LEVERS Classic aluminum 4-finger

FRONT BRAKE Tektro aluminum v-type

REAR BRAKE Tektro aluminum v-type

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB Thread-on freewheel, steel shell, 3/8" nutted axle, 135mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand, steel full coverage fenders



FINISH	SIZES	WEIGHT	
True Blue	18" Men's	36.8lbs, 16.7Kg	

FRAME Felt classic curved cantilever steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

REAR BRAKE Coaster brake

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 124mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand

BIXBYMENS 1-SP



FINISH	SIZES	WEIGHT	
Black Sand	18" Men's	36.8lbs, 16.7Kg	

FRAME Felt classic curved cantilever steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

REAR BRAKE Coaster brake

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 124mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand

BIXBYWOMENS 1-SP



FINISH	SIZES	WEIGHT	
Key Lime Pie	17" Women's	35.5lbs, 16.1Kg	

FRAME Felt classic curved steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

REAR BRAKE Coaster brake

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 124mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand



FINISH	SIZES	WEIGHT	
Dark Khaki	17" Women's	35.5lbs, 16.1Kg	

FRAME Felt classic curved steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

REAR BRAKE Coaster brake

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 124mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand



FINISH	SIZES	WEIGHT	
Watermelon	17" Women's	35.5lbs, 16.1Kg	

FRAME Felt classic curved steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

REAR BRAKE Coaster brake

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 124mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand

BIXBYWOMENS 1-SP



FINISH	SIZES	WEIGHT	
White	17" Women's	35.5lbs, 16.1Kg	

FRAME Felt classic curved steel with carrier bosses

FORK Uni-crown steel, curved blades, threaded 1-1/8" steerer tube

HEADSET External cup, threaded, 1-1/8"

STEM Aluminum quill adjustable height, forged single bolt, Ø25.4mm, ext. 80mm

HANDLEBAR Cruiser design, Hi-Ten, Ø25.4mm, medium-rise, 675mm wide

GRIPS Kraton rubber

CRANKSET 1-pc heat-treated steel, 44T, 170mm

BOTTOM BRACKET USA size, looseball

CHAIN KMC Z410, 1/8"

FREEWHEEL/CASSETTE 22T cog

REAR BRAKE Coaster brake

SADDLE Classic springer cruiser with comfort foam

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

RIMS/WHEELSET Felt aluminum 34mm wide

FRONT HUB Steel 3/8" nutted, 36H

REAR HUB 1-speed coaster brake, 124mm OLD, 36H

SPOKES 14G stainless steel

TIRES Cruiser style 26 x 2.125"

ACCESSORIES Felt steel chainguard, integrated kickstand

CANVASCRUISER TANK 26 FRAMESET



FINISH	SIZES	WEIGHT	
White primer frame/fork (black parts)	18" Men's		

FRAME Felt hydroformed tank, steel, 3-speed cable guides, USA size BB, with carrier bosses

FORK Uni-crown steel, curved blades, threadless 1-1/8" steerer tube

HEADSET FSA TH-888, external cup, threadless, 1-1/8"

STEM Front mount 4-bolt, aluminum, Ø22.2mm, ext. 50mm

SEATPOST Ø25.4 x 350mm

SEATPOST CLAMP Single bolt, Ø28.6mm

ACCESSORIES Felt steel chainguard and full coverage fenders with double struts

VERZA CRUZ SERIES		
GEOMETRY	MEN'S	WOMEN'S
HA	69	69
SA	69	69
TT HORIZ	570	560
HT LENGTH	225	205
SEAT TUBE C-T	432	350
BB DROP	52	52
CS	595	595
FRONT CENTER	616	606
WHEELBASE	1207	1197
STANDOVER	-	-
RAKE	60	60
REACH	326	324
STACK	634	615

VERZA SPEED ALLOY						
GEOMETRY	47	51	54	56	58	61
HA	70	70	70	70	70	70
SA	74	74	74	74	74	74
TT HORIZ	540	555	570	585	600	620
HT LENGTH	140	160	180	200	220	240
SEAT TUBE C-T	350	400	450	500	550	600
BB DROP	70	70	70	70	70	70
CS	445	445	445	445	445	445
FRONT CENTER	613	629	645	662	678	699
WHEELBASE	1048	1064	1081	1097	1114	1135
STANDOVER	627	663	710	756	800	843
RAKE	48	48	48	48	48	48
REACH	381	390	400	410	419	434
STACK	555	574	593	612	631	649

VERZA PATH RIDGED							
GEOMETRY	LADIES S 13"	LADIES M 16"	LADIES T 19"	MENS S 16"	MENS M 18"	MENS L 20"	MENS XL 22"
HA	70	70	70	70	70	70	70.5
SA	74	73.5	73.5	74	73.5	73.5	73.5
TT HORIZ	540	555	570	570	583	595	610
HT LENGTH	190	205	220	190	205	220	240
SEAT TUBE C-T	330	406	482	394	445	495	546
BB DROP	65	65	60	65	60	60	60
CS	450	450	450	450	450	450	450
FRONT CENTER	612	622	639	642	651	664	674
WHEELBASE	1054	1064	1082	1084	1094	1107	1117
STANDOVER	574	602	632	733	471	806	844
RAKE	42	42	42	42	42	42	42
REACH	362	367	380	392	397	405	413
STACK	619	633	642	619	628	642	663

CRUISER TANK		
GEOMETRY	MEN'S 26"	WOMEN'S 26"
HA	69	69
SA	67	67
TT HORIZ	650	630
HT LENGTH	140	130
SEAT TUBE C-T	465	425
BB DROP	42	45
CS	518	530
FRONT CENTER	671	651
WHEELBASE	1186	1178
STANDOVER	753	489
RAKE	55	55
REACH	407	402
STACK	573	536

VERZA SPEED CARBON							
GEOMETRY	43	45	51	54	56	58	61
HA	69	70	71	71	71	71	71
SA	74	73	73	73	72	72	72
TT HORIZ	495	513	528	549	564	580	600
HT LENGTH	120	130	140	160	180	200	220
SEAT TUBE C-T	430	450	470	500	520	540	570
BB DROP	64	64	64	64	65	65	65
CS	438	438	445	445	445	445	445
FRONT CENTER	583	585	591	602	612	622	642
WHEELBASE	1013	1015	1027	1038	1049	1058	1079
STANDOVER	707	718	753	780	798	819	845
RAKE	54	54	52	52	52	52	52
REACH	345	352	360	369	372	376	389
STACK	524	537	550	571	590	610	629

VERZA PATH SUSPENSION							
GEOMETRY	LADIES S 13"	LADIES M 16"	LADIES T 19"	MENS S 16"	MENS M 18"	MENS L 20"	MENS XL 22"
HA	70	70	70	70	70	70	70.5
SA	74	73.5	73.5	74	73.5	73.5	73.5
TT HORIZ	540	555	569	569	582	595	609
HT LENGTH	130	145	160	130	145	160	180
SEAT TUBE C-T	330	406	482	394	445	495	546
BB DROP	65	65	60	65	60	60	60
CS	450	450	450	450	450	450	450
FRONT CENTER	612	622	639	642	651	664	674
WHEELBASE	1054	1064	1082	1084	1094	1107	1117
STANDOVER	577	602	635	735	773	807	845
RAKE	42	42	42	42	42	42	42
REACH	362	367	380	392	397	405	413
STACK	619	633	642	619	628	642	663

VERZA CAFE SERIES					
GEOMETRY	LADIES S 16"	LADIES M 18"	MENS M 17"	MENS L 19"	MENS XL 21"
HA	70	70	70	70	70
SA	71	71	71	71	71
TT HORIZ	582	582	595	614	629
HT LENGTH	130	150	150	170	190
SEAT TUBE C-T	406	457	432	483	533
BB DROP	65	65	65	65	65
CS	500	500	500	500	500
FRONT CENTER	636	636	649	669	684
WHEELBASE	1129	1129	1142	1162	1177
STANDOVER	576	588	705	750	794
RAKE	60	60	60	60	60
REACH	396	389	402	416	424
STACK	539	558	558	577	596

CRUISER CANTILEVER		
GEOMETRY	MEN'S 26"	WOMEN'S 26"
HA	69	69
SA	67	67
TT HORIZ	650	530
HT LENGTH	130	130
SEAT TUBE C-T	465	425
BB DROP	45	45
CS	529	530
FRONT CENTER	671	651
WHEELBASE	1198	1178
STANDOVER	753	489
RAKE	55	55
REACH	422	402
STACK	536	536



FELT
BICYCLES

