2021

# FELT®

BICYCLES / CALIFORNIA

LOOKBOOK

2021

AR | PAGE 2-13

FR | PAGE 14 -25

VR | PAGE 26-35

IA | PAGE 36-53

B | PAGE 54-56

BREED | PAGE 57-61

BROAM | PAGE 62 -69

FX | PAGE 70-74

TRACK | PAGE 75-76

GEOMETRY | PAGE 77-86


FELT
BICYCLES / CALIFORNIA

# AR

**Speed. It's a sensation unlike any other that exists in its purest form while riding a bicycle. Whether it's a full-on drag race to the finish line or a white-knuckle, Alpine descent, the AR brings the speed.**

FELT
BICYCLES / CALIFORNIA

AR FRD | ULTIMATE | AXS

AR FRD | ULTIMATE | DURA ACE DI2

AR | ADVANCED | ULTEGRA DI2

AR | ADVANCED | ULTEGRA

AR | ADVANCED | 105

# AR FRD | ULTIMATE | AXS

MATTE CARBON

**FRAME / FORK** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber
**GROUP** SRAM Red eTap AXS HRD, 2x12 - 48/35T, 10-28T
**WHEELS** ZIPP NSW 454 Carbon, Continental Grand Prix 5000 TL 25c

SIZES - 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

**Frame:** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Fork:** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Headset:** IS (NO.44)

**Speed:** 2x12-speed

**Shifters:** SRAM RED eTap AXS HRD

**Front Derailleur:** SRAM RED eTap AXS, braze-on

**Rear Derailleur:** SRAM RED eTap AXS

**Crankset:** SRAM RED, DUB, 48/35T

**Bottom Bracket:** CeramicSpeed EVO386 for SRAM DUB Road

**Freewheel / Cassette:** SRAM RED XG-1290, 10-28T

**Chain:** SRAM RED

**Brakes :** SRAM RED eTap AXS HRD, hydraulic disc, flat mount

**Brake Rotors:** SRAM CenterLine XR, Center Lock, 160mm/140mm

**Front Wheel:** ZIPP 454 NSW Carbon Tubeless Disc-brake

**Rear Wheel:** ZIPP 454 NSW Carbon Tubeless Disc-brake, XDR

**Tires:** Continental Grand Prix 5000 TL, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Felt Sprint | UHC Advanced carbon fiber

**Handlebar:** ZIPP SL-70 AERO

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

**Saddle:** Prologo Dimension 143 Nack

**Accessories:** SRAM PowerPack (Battery Charger, 2x Battery) / SRAM hose fitting kit (2x threaded hose barbs and red comp fittings) / ZIPP tubeless valve stems (2x80mm) / Compliance Channel aero seatpost covers / Carbon assembly paste

# AR FRD | ULTIMATE | DURA ACE

MATTE CARBON

**FRAME / FORK** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber
**GROUP** Shimano Dura Ace Di2 R9150, 2x11 - 52/36T, 11-30T
**WHEELS** HED Vanquish RC6 Pro Series, carbon, Continental Grand Prix 5000 TL 25c

SIZES - 48, 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

**Frame:** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Fork:** Felt AeroRoad 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Headset:** IS (NO.44)

**Speed:** 2x11-speed

**Shifters:** Shimano Dura-Ace Di2 R9170

**Front Derailleur:** Shimano Dura-Ace R9150 Di2, braze-on

**Rear Derailleur:** Shimano Dura-Ace R9150 Di2, short cage

**Crankset:** Shimano Dura-Ace R9100, 52/36T

**Bottom Bracket:** CeramicSpeed EVO386 for Shimano Road

**Freewheel / Cassette:** Shimano Dura-Ace R9100, 11-28T

**Chain:** Shimano Dura-Ace HG901

**Brakes :** Shimano Dura-Ace R9170, hydraulic disc, flat mount

**Brake Rotors:** Shimano Dura-Ace RT900, Center Lock, 160mm/140mm

**Front Wheel:** HED Vanquish RC6 Pro Series, 12mm

**Rear Wheel:** HED Vanquish RC6 Pro Series, 12mm, Shimano

**Tires:** Continental Grand Prix 5000 TL, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Felt Sprint | UHC Advanced carbon fiber

**Handlebar:** PRO Vibe Aero Superlight

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

**Saddle:** Prologo Dimension 143 Nack

**Accessories:** Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) / HED tubeless valve stems / Compliance Channel aero seatpost covers / Carbon assembly paste

# AR | ADVANCED | ULTEGRA DI2

AQUAFRESH

WHITE

**FRAME / FORK** Felt AeroRoad 3.0 | UHC Advanced + TeXtreme carbon fiber
**GROUP** Shimano Ultegra Di2 R8050, 2x11 - 52/36T, 11-30T
**WHEELS** Reynolds AR58 DB Custom, carbon, Continental Grand Prix 5000 25c

SIZES - 48, 51, 54, 56, 58, 61

# AR | ADVANCED | ULTEGRA DI2

AQUAFRESH

WHITE

**Frame:** Felt AeroRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt AeroRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (NO.44)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra Di2 R8070

**Front Derailleur:** Shimano Ultegra R8050 Di2, braze-on

**Rear Derailleur:** Shimano Ultegra R8050 Di2, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-30T

**Chain:** Shimano Ultegra HG701

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm/140mm

**Front Wheel:** Reynolds AR58 DB Custom

**Rear Wheel:** Reynolds AR58 DB Custom, Shimano

**Tires:** Continental Grand Prix 5000, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Felt Sprint | UHC Advanced carbon fiber

**Handlebar:** Devox DBar.C0 Aero

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

**Saddle:** Prologo Dimension 143 T4.0

**Accessories:** Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) / Reynolds tubeless valve stems (2x75mm) / Compliance Channel aero seatpost covers / Carbon assembly paste

# AR | ADVANCED | ULTEGRA

WHITE

**FRAME / FORK** Felt AeroRoad 3.0 | UHC Advanced + TeXtreme carbon fiber
**GROUP** Shimano Ultegra R8000, 2x11 - 52/36T, 11-30T
**WHEELS** Reynolds AR58 DB Custom, carbon, Continental Grand Prix 5000 25c

SIZES - 48, 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

**Frame:** Felt AeroRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt AeroRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (NO.44)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra R8020

**Front Derailleur:** Shimano Ultegra R8000, braze-on

**Rear Derailleur:** Shimano Ultegra R8000, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-30T

**Chain:** Shimano Ultegra HG701

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm/140mm

**Front Wheel:** Reynolds AR58 DB Custom

**Rear Wheel:** Reynolds AR58 DB Custom, Shimano

**Tires:** Continental Grand Prix 5000, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Felt Sprint | UHC Advanced carbon fiber

**Handlebar:** Devox DBar.C0 Aero

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

**Saddle:** Prologo Dimension 143 T4.0

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Reynolds tubeless valve stems (2x75mm) / Compliance Channel aero seatpost covers / Carbon assembly paste

# AR | ADVANCED | 105

STARRY NIGHT

**FRAME / FORK** Felt AeroRoad 3.0 | UHC Advanced + TeXtreme carbon fiber
**GROUP** Shimano 105 R7000, 2x11 - 52/36T, 11-30T
**WHEELS** Devox WheelRDS.A1 | 30/19, Shimano hubs, aluminum, Continental Sport Race 25c

SIZES - 48, 51, 54, 56, 58, 61

**Frame:** Felt AeroRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt AeroRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (NO.44)

**Speed:** 2x11-speed

**Shifters:** 43, 47cm: Shimano 105 R7025 Short-Reach / 51, 54, 56, 58, 61cm: Shimano 105 R7020

**Front Derailleur:** Shimano 105 R7000, braze-on

**Rear Derailleur:** Shimano 105 R7000, short cage

**Crankset:** Shimano 105 R7000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano 105 R7000, 11-30T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano 105 R7070, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160mm/140mm

**Front Wheel:** Devox WheelRDS.A1 | 30/19, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 30/19, Shimano hubs

**Tires:** Continental Grand Sport Race, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Felt Sprint | UHC Advanced carbon fiber

**Handlebar:** Devox DBar.A1

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Felt AeroRoad IL 2.0 | UHC Advanced + TeXtreme carbon fiber

**Saddle:** Prologo Dimension 143 T4.0

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Compliance Channel aero seatpost covers / Carbon assembly paste

# FR

The FR is the stiffest, lightest, and best-performing disc brake-equipped road bike that Felt has ever created. It's designed for the pinnacle of competitive racing.

FELT
BICYCLES / CALIFORNIA

FR FRD | ULTIMATE | DURA ACE

FR | ADVANCED | ULTEGRA DI2

FR | ADVANCED | ULTEGRA

FR | ADVANCED | 105

FR | 30

# FR FRD | ULTIMATE | DURA ACE

MATTE CARBON

**FRAME** Felt Road 3.0 | UHC Ultimate + TeXtreme carbon fiber **Fork** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

**GROUP** Shimano Dura-Ace Di2 R9170, 2x11 - 52/36T, 11-30T

**WHEELS** Shimano Dura-Ace C40 Tubeless, carbon, Continental Grand Prix 5000 TL 25c

SIZES - 43, 47, 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

# FR FRD | ULTIMATE | DURA ACE

MATTE CARBON

**Frame:** Felt Road 3.0 | UHC Ultimate + TeXtreme carbon fiber

**Fork:** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54cm: IS (NO.44) / 56, 58, 61cm: IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano Dura-Ace Di2 R9170

**Front Derailleur:** Shimano Dura-Ace R9150 Di2, braze-on

**Rear Derailleur:** Shimano Dura-Ace R9150 Di2, short cage

**Crankset:** Shimano Dura-Ace R9100, 52/36T

**Bottom Bracket:** CeramicSpeed EVO386 for Shimano Road

**Freewheel / Cassette:** Shimano Dura-Ace R9100, 11-28T

**Chain:** Shimano Dura-Ace HG901

**Brakes :** Shimano Dura-Ace R9170, hydraulic disc, flat mount

**Brake Rotors:** Shimano Dura-Ace RT900, Center Lock, 160mm/140mm

**Front Wheel:** Shimano Dura-Ace R9170 C40, Tubeless

**Rear Wheel:** Shimano Dura-Ace R9170 C40, Tubeless

**Tires:** Continental Grand Prix 5000 TL, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** PRO Vibe

**Handlebar:** PRO Vibe Carbon

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** PRO Vibe Carbon, 20mm

**Saddle:** Prologo Dimension 143 Nack

**Accessories:** Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) / Shimano tubeless valve stems / Carbon assembly paste

# FR | ADVANCED | ULTEGRA DI2

AQUAFRESH

**FRAME / FORK** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber
**GROUP** Shimano Ultegra Di2 R8050, 2x11 - 52/36T, 11-30T
**WHEELS** Reynolds AR41 DB, carbon, Vittoria Rubino Pro IV 25c

SIZES - 47, 51, 54, 56, 58, 61

**Frame:** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54cm: IS (NO.44) / 56, 58, 61cm: IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra Di2 R8070

**Front Derailleur:** Shimano Ultegra R8050 Di2, braze-on

**Rear Derailleur:** Shimano Ultegra R8050 Di2, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-30T

**Chain:** Shimano Ultegra HG701

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm/140mm

**Front Wheel:** Reynolds AR41 DB Custom

**Rear Wheel:** Reynolds AR41 DB Custom, Shimano

**Tires:** Vittoria Rubino Pro IV, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.C1

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension 143 T4.0

**Accessories:** Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) / Reynolds tubeless valve stems (2x55mm) / Carbon assembly paste

# FR | ADVANCED | ULTEGRA

GLOW GREEN

**FRAME / FORK** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber
**GROUP** Shimano Ultegra R8000, 2x11 - 52/36T, 11-30T
**WHEELS** Reynolds AR41 DB, carbon, Vittoria Rubino Pro IV 25c

SIZES - 47, 51, 54, 56, 58, 61

# FR | ADVANCED | ULTEGRA

GLOW GREEN

**Frame:** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54cm: IS (NO.44) / 56, 58, 61cm: IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra R8020

**Front Derailleur:** Shimano Ultegra R8000, braze-on

**Rear Derailleur:** Shimano Ultegra R8000, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-30T

**Chain:** Shimano Ultegra HG701

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm/140mm

**Front Wheel:** Reynolds AR41 DB Custom

**Rear Wheel:** Reynolds AR41 DB Custom, Shimano

**Tires:** Vittoria Rubino Pro IV, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.C1

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension 143 T4.0

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Reynolds tubeless valve stems (2x55mm) / Carbon assembly paste

# FR | ADVANCED | 105

JUNE GREY

**FRAME / FORK** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber
**GROUP** Shimano 105 R7000, 2x11 - 52/36T, 11-30T
**WHEELS** Devox WheelRDS.A1 | 23/19, aluminum, Shimano hubs, Vittoria Rubino IV 25c

SIZES - 47, 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

# FR | ADVANCED | 105

JUNE GREY

**Frame:** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt Road 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54cm: IS (NO.44) / 56, 58, 61cm: IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano 105 R7025

**Front Derailleur:** Shimano 105 R7000, braze-on

**Rear Derailleur:** Shimano 105 R7000, short cage

**Crankset:** Shimano 105 R7000, 52/36T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano 105 R7000, 11-30T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano 105 R7070, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160mm/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/19, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/19, Shimano hubs

**Tires:** Vittoria Rubino IV, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A1

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension 143 STN

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Carbon assembly paste

# FR | 30 | 105

EDEN GREEN

**FRAME** Felt Road 3.0 | SuperLite aluminum **FORK** UHC Advanced carbon fiber

**GROUP** Shimano 105 R7000, 2x11 - 52/36T, 11-30T

**WHEELS** Devox WheelRDS.A1 | 23/21, aluminum, Shimano hubs, Schwalbe LUGANO II, K-Guard, wire bead

SIZES - 47, 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

# FR | 30 | 105

EDEN GREEN

**Frame:** Fel tRoad 3.0 | SuperLite aluminum

**Fork:** Felt Road 3.0 | UHC Advanced carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54cm: IS (NO.44) / 56, 58, 61cm: IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** 43, 47cm: Shimano 105 R7025 Short-Reach / 51, 54, 56, 58, 61cm: Shimano 105 R7020

**Front Derailleur:** Shimano 105 R7000, band type, Ø34.9mm

**Rear Derailleur:** Shimano 105 R7000, short cage

**Crankset:** Shimano 105 R7000, 52/36T

**Bottom Bracket:** Shimano RS500

**Freewheel / Cassette:** Shimano 105 R7000, 11-30T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano 105 R7070, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160mm/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Schwalbe LUGANO II, K-Guard, wire bead, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A1

**Bartape:** Felt VelvetGel tape with 3M reflective base with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Devox Seat.MIG

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Carbon assembly paste

2021

# VR

**The VR epitomizes the spirit of the modern endurance cyclist. It offers a new perspective on how to experience terrain, distance, and topography, by empowering its rider to explore beyond his or her perceived limitations.**

FELT
BICYCLES / CALIFORNIA

VR | ADVANCED | ULTEGRA DI2

VR | ADVANCED | ULTEGRA

VR | ADVANCED | 105

VR | 40

VR | 60

# VR | ADVANCED | ULTEGRA DI2

MIDNIGHT CORAL FADE

**FRAME / FORK** Felt VariableRoad 3.0 | UHC Advanced + TeXtreme carbon fiber
**GROUP** Shimano Ultegra Di2 R8050, 2x11 - 50/34T, 11-34T
**WHEELS** Reynolds AR29 DB, carbon, Vittoria Rubino Pro IV 30c

SIZES - 47, 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

# VR | ADVANCED | ULTEGRA DI2

MIDNIGHT CORAL FADE

**Frame:** Felt VariableRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt VariableRoad 3.0 | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra Di2 R8070

**Front Derailleur:** Shimano Ultegra R8050 Di2, braze-on

**Rear Derailleur:** Shimano Ultegra R8050 Di2, long cage

**Crankset:** Shimano Ultegra R8000, 50/34T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano Ultegra HG800, 11-34T

**Chain:** Shimano Ultegra HG701

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm/140mm

**Front Wheel:** Reynolds AR29 DB Custom

**Rear Wheel:** Reynolds AR29 DB Custom, Shimano

**Tires:** Vittoria Rubino Pro IV, 700x30c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.A2

**Bartape:** Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension Space T4.0

**Accessories:** Shimano SM-BCR2 Battery Charger / Shimano hose fitting kit (2x olives and connector inserts) / Reynolds tubeless valve stems (2x45mm) / Carbon assembly paste

# VR | PERFORMANCE | ULTEGRA

GLOSS AQUA / MATTE CARBON

**FRAME / FORK** Felt VariableRoad 3.0 | UHC Performance carbon fiber
**GROUP** Shimano Ultegra R8000, 2x11 - 50/34T, 11-34T
**WHEELS** Reynolds AR29 DB, carbon, Schwalbe ONE Performance Raceguard 30c

SIZES - 47, 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

# VR | PERFORMANCE | ULTEGRA

GLOSS AQUA / MATTE CARBON

**Frame:** Felt VariableRoad 3.0 | UHC Performance carbon fiber

**Fork:** Felt VariableRoad 3.0 | UHC Performance carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54, 56, 58, 61cm: IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano Ultegra R8020

**Front Derailleur:** Shimano Ultegra R8000, braze-on

**Rear Derailleur:** Shimano Ultegra R8000, long cage

**Crankset:** Shimano Ultegra R8000, 50/34T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano 105 HG700, 11-34T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano Ultegra R8070, hydraulic disc, flat mount

**Brake Rotors:** Shimano Ultegra RT800, Center Lock, 160mm/140mm

**Front Wheel:** Reynolds AR29 DB Custom

**Rear Wheel:** Reynolds AR29 DB Custom, Shimano

**Tires:** Schwalbe ONE Performance, RaceGuard, 700x30c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.A2

**Bartape:** Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2 Cap

**Saddle:** Prologo Dimension Space STN

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Reynolds tubeless valve stems (2x45mm) / Carbon assembly paste

# VR | PERFORMANCE | 105

GLOSS BLACK GLITTER / MATTE CARBON

**FRAME / FORK** Felt VariableRoad 3.0 | UHC Performance carbon fiber

**GROUP** Shimano 105 R7000, 2x11 - 50/34T, 11-34T

**WHEELS** Devox WheelRDS.A1 | 23/21, aluminum, Shimano hubs, Schwalbe ONE Performance Raceguard 30c

SIZES - 47, 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

# VR | PERFORMANCE | 105

GLOSS BLACK GLITTER / MATTE CARBON

**Frame:** Felt VariableRoad 3.0 | UHC Performance carbon fiber

**Fork:** Felt VariableRoad 3.0 | UHC Performance carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54, 56, 58, 61cm: IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** 43, 47cm: Shimano 105 R7025 Short-Reach / 51, 54, 56, 58, 61cm: Shimano 105 R7020

**Front Derailleur:** Shimano 105 R7000, braze-on

**Rear Derailleur:** Shimano 105 R7000, long cage

**Crankset:** Shimano 105 R7000, 50/34T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano 105 R7000, 11-34T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano 105 R7070, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160mm/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Schwalbe ONE Performance, RaceGuard, 700x30c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A2

**Bartape:** Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Prologo Dimension Space STN

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Carbon assembly paste

# VR | 40 | TIAGRA

AQUAFRESH

**FRAME** Felt VariableRoad 3.0 | SuperLite aluminum **FORK** UHC Advanced carbon fiber

**GROUP** Shimano Tiagra 4700, 2x10 - 50/34T, 11-34T

**WHEELS** Devox WheelRDS.A1 | 23/21, alumnum, Shimano hubs, Schwalbe LUGANO II, K-Guard, wire bead 30c

SIZES - 47, 51, 54, 56, 58, 61

# VR | 40 | TIAGRA

AQUAFRESH

**Frame:** Felt VariableRoad 3.0 | SuperLite aluminum

**Fork:** Felt VariableRoad 3.0 | UHC Advanced carbon fiber

**Headset:** 43, 47cm: IS (IS-2) / 51, 54, 56, 58, 61cm: IS (NO.42)

**Speed:** 2x10-speed

**Shifters:** Shimano Tiagra 4720

**Front Derailleur:** Shimano Tiagra 4700, band type, Ø31.8mm

**Rear Derailleur:** Shimano Tiagra 4700, long cage

**Crankset:** Shimano Tiagra 4700, 50/34T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano HG500, 11-34T

**Chain:** Shimano HG54

**Brakes :** Shimano Tiagra 4770, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160mm/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Schwalbe LUGANO II, K-Guard, wire bead, 700x32c

**Thru Axles:** TA 12x100 front, TA 12x142 rear

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A2

**Bartape:** Additional comfort gel padding, Felt VelvetGel tape with 3M reflective base, and reflective Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Devox Seat.MIG

**Accessories:** Carbon assembly paste

## IA

**Since its debut, the IA has won the Kona World Championship a staggering six consecutive times. In a sport that demands sacrifice, the IA lacks for nothing. Aerodynamic, confidence-inspiring, and serviceable, it's simply the best triathlon bike that the world has ever seen.**

IA FRD | ULTIMATE | DURA ACE DI2

IA | ADVANCED | AXS

IA | ADVANCED | ULTEGRA DI2

IA | ADVANCED | ULTEGRA

IA | ADVANCED | 105

IA | ADAVNCED | 105 RIM BRAKE

# IA FRD | ULTIMATE | DURA ACE DI2

MATTE CARBON

**FRAME / FORK** Felt IntegratedAero Disc | UHC Ultimate + TeXtreme carbon fiber

**GROUP** Shimano Dura-Ace Di2 R9180, 2x11 - 52/36T, 11-30T

**WHEELS** ZIPP 454 NSW Front, 858 NSW Rear, Carbon Tubeless, Continental Grand Prix 5000 TL 25c

SIZES - 51, 54, 56, 58



FELT BICYCLES / CALIFORNIA

**Frame:** Felt IntegratedAero Disc | UHC Ultimate + TeXtreme carbon fiber

**Fork:** Felt IntegratedAero Dagger Disc | UHC Ultimate + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** BaseBar - Shimano Dura-Ace Di2 R9180, TRI/TT / Extensions: Shimano Dura-Ace Di2 SW-R9160, TRI/TT

**Front Derailleur:** Shimano Dura-Ace R9150 Di2, braze-on

**Rear Derailleur:** Shimano Dura-Ace R9150 Di2, short cage

**Crankset:** Shimano Dura-Ace R9100, 52/36T

**Bottom Bracket:** CeramicSpeed BSA for Shimano Road

**Freewheel / Cassette:** Shimano Dura-Ace R9100, 11-28T

**Chain:** Shimano Dura-Ace HG901

**Brake Levers :** Shimano Dura-Ace R9180, TRI/TT, hydraulic

**Brakes :** Shimano Dura-Ace R9170, hydraulic disc, flat mount

**Brake Rotors:** Shimano Dura-Ace RT900, Center Lock, 140mm/140mm

**Front Wheel:** 454 NSW Carbon Tubeless Disc-brake

**Rear Wheel:** 858 NSW Carbon Tubeless Disc-brake, SRAM/Shimano

**Tires:** Continental Grand Prix 5000 TL, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 horizontal rear

**Stem:** Felt Dagger Direct | SuperLite aluminum

**Handlebar:** BaseBar - Devox Dagger Integrated | UHC Ultimate + Nano / Extensions: Devox ƒ-Bend | carbon fiber, 3-position

**Bartape:** Felt Dimpled gel pads, Felt VelvetGel tape, and Felt bar end plugs

**Seatpost:** Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

**Saddle:** ISM PS1.0 Ti

**Accessories:** IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Dagger stem cover with 1/4-turn Garmin Mount / Shimano SM-BCR2 Battery Charger / ZIPP tubeless valve stems (1x80mm, 1x100mm) / Compliance Channel aero seatpost covers / Carbon assembly paste

# IA | ADVANCED | AXS

AQUA GEO

BLACK GEO

**FRAME / FORK** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**GROUP** SRAM Force eTap AXS, 2x12 - 48/35T, 10-28T

**WHEELS** Reynolds AR58/62 DB Custom, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58



FELT BICYCLES / CALIFORNIA

# IA | ADVANCED | AXS

AQUA GEO

BLACK GEO

**FRAME / FORK** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**GROUP** SRAM Force eTap AXS, 2x12 - 48/35T, 10-28T

**WHEELS** Reynolds AR58/62 DB Custom, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

AQUA GEO

BLACK GEO

**Frame:** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** BaseBar - SRAM eTap Blips / Extensions: SRAM eTap Clics

**Front Derailleur:** SRAM Force eTap AXS, braze-on

**Rear Derailleur:** SRAM Force eTap AXS

**Crankset:** SRAM Force, DUB, 48/35T

**Bottom Bracket:** SRAM DUB BSA

**Freewheel / Cassette:** SRAM XG-1270, 10-28T

**Chain:** SRAM Force

**Brake Levers :** SRAM S-900 AERO HRD, hydraulic

**Brakes :** SRAM S-900 AERO HRD, hydraulic disc, flat mount

**Brake Rotors:** SRAM CenterLine XR, Center Lock, 140mm/140mm

**Front Wheel:** Reynolds AR58/62 DB Custom

**Rear Wheel:** Reynolds AR58/62 DB Custom, Shimano

**Tires:** Continental Grand Sport Race, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 horizontal rear

**Stem:** Felt Dagger 31.8 | SuperLite aluminum

**Handlebar:** BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

**Saddle:** ISM PS1.0

**Accessories:** IA CALpac 2.0 Top Tube storage / A BTSpac Seat Tube storage box / SRAM PowerPack (Battery Charger, 2x Battery) / Reynolds tubeless valve stems (2x75mm) / Compliance Channel aero seatpost covers / Carbon assembly paste

# IA | ADVANCED | ULTEGRA DI2

WHITE GEO

PURPLE GEO

**FRAME / FORK** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**GROUP** Shimano Ultegra Di2 R8050, 2x11 - 52/36T, 11-28T

**WHEELS** Reynolds AR58/62 DB Custom, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58



FELT BICYCLES / CALIFORNIA

# IA | ADVANCED | ULTEGRA DI2

WHITE GEO

PURPLE GEO

**FRAME / FORK** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**GROUP** Shimano Ultegra Di2 R8050, 2x11 - 52/36T, 11-28T

**WHEELS** Reynolds AR58/62 DB Custom, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

# IA | ADVANCED | ULTEGRA DI2

WHITE GEO

PURPLE GEO

**Frame:** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** BaseBar- TRP HD-T910D, hydraulic with integrated Di2 shift buttons (right hand) / Extensions- Shimano Dura-Ace Di2 SW-R9160, TRI/TT

**Front Derailleur:** Shimano Ultegra R8050 Di2, braze-on

**Rear Derailleur:** Shimano Ultegra R8050 Di2, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Shimano BBR60

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-28T

**Chain:** Shimano Ultegra HG701

**Brake Levers :** TRP HD-T910D, hydraulic with integrated Di2 shift buttons (right hand)

**Brakes :** TRP HD-T910, hydraulic disc, flat mount

**Brake Rotors:** TRP TR-25, Center Lock, 140mm/140mm

**Front Wheel:** Reynolds AR58/62 DB Custom

**Rear Wheel:** Reynolds AR58/62 DB Custom, Shimano

**Tires:** Continental Grand Sport Race, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 horizontal rear

**Stem:** Felt Dagger 31.8 | SuperLite aluminum

**Handlebar:** BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt AeroTRI IL 1.0 VM | UHC Advanced + TeXtreme carbon fiber

**Saddle:** ISM PS1.0

**Accessories:** IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Shimano SM-BCR2 Battery Charger / Reynolds tubeless valve stems (2x75mm) / Compliance Channel aero seatpost covers / Carbon assembly paste

# IA | ADVANCED | ULTEGRA

DESERT GEO

AQUAFRESH GEO

**FRAME / FORK** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**GROUP** Shimano Ultegra R8000, 2x11 - 52/36T, 11-28T

**WHEELS** Reynolds AR58/62 DB Carbon, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58



FELT BICYCLES / CALIFORNIA

# IA | ADVANCED | ULTEGRA

DESERT GEO

AQUAFRESH GEO

**FRAME / FORK** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**GROUP** Shimano Ultegra R8000, 2x11 - 52/36T, 11-28T

**WHEELS** Reynolds AR58/62 DB Carbon, carbon, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58

# IA | ADVANCED | ULTEGRA

DESERT GEO

AQUAFRESH GEO

**Frame:** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** microSHIFT A11, TRI/TT

**Front Derailleur:** Shimano Ultegra R8000, braze-on

**Rear Derailleur:** Shimano Ultegra R8000, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Shimano BBR60

**Freewheel / Cassette:** Shimano Ultegra R8000, 11-28T

**Chain:** Shimano Ultegra HG701

**Brake Levers :** TRP HD-T910, hydraulic

**Brakes :** TRP HD-T910, hydraulic disc, flat mount

**Brake Rotors:** TRP TR-25, Center Lock, 140mm/140mm

**Front Wheel:** Reynolds AR58/62 DB Custom

**Rear Wheel:** Reynolds AR58/62 DB Custom, Shimano

**Tires:** Continental Grand Sport Race, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 horizontal rear

**Stem:** Felt Dagger 31.8 | SuperLite aluminum

**Handlebar:** BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

**Saddle:** ISM PS1.0

**Accessories:** IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Shimano SM-BCR2 Battery Charger / Reynolds tubeless valve stems (2x75mm) / Compliance Channel aero seatpost covers / Carbon assembly paste

# IA | ADVANCED | 105

CHARTREUSE GEO

CHARCOAL GEO

**FRAME / FORK** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**GROUP** Shimano 105 R7000. 2x11 - 52/36T, 11-28T

**WHEELS** Devox WheelRDS.A1 | 30/19, aluminum, Shimano hubs, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58



FELT BICYCLES / CALIFORNIA

# IA | ADVANCED | 105

CHARTREUSE GEO

CHARCOAL GEO

**FRAME / FORK** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**GROUP** Shimano 105 R7000, 2x11 - 52/36T, 11-28T

**WHEELS** Devox WheelRDS.A1 | 30/19, aluminum, Shimano hubs, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58



FELT BICYCLES / CALIFORNIA

# IA | ADVANCED | 105

CHARTREUSE GEO

CHARCOAL GEO

**Frame:** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** microSHIFT A11, TRI/TT

**Front Derailleur:** Shimano 105 R7000, braze-on

**Rear Derailleur:** Shimano 105 R7000, short cage

**Crankset:** Shimano 105 R7000, 52/36T

**Bottom Bracket:** Shimano RS500

**Freewheel / Cassette:** Shimano 105 R7000, 11-28T

**Chain:** Shimano 105 HG601

**Brake Levers :** TRP HD-T910, hydraulic

**Brakes :** TRP HD-T910, hydraulic disc, flat mount

**Brake Rotors:** TRP TR-25, Center Lock, 140mm/140mm

**Front Wheel:** Devox WheelRDS.A1 | 30/19, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 30/19, Shimano hubs

**Tires:** Continental Grand Sport Race, 700x25c

**Thru Axles:** TA 12x100 front, TA 12x142 horizontal rear

**Stem:** Felt Dagger 31.8 | SuperLite aluminum

**Handlebar:** BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

**Saddle:** ISM PS1.0

**Accessories:** IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Compliance Channel aero seatpost covers / Carbon assembly paste

# IA | ADVANCED | 105 RIM BRAKE

MIDNIGHT GEO

**FRAME / FORK** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber
**GROUP** Shimano 105 R7000, 2x11 - 52/36T, 11-28T
**WHEELS** Devox WheelRRS.A1 | 24/19, aluminum, Shimano hubs, Continental Grand Sport Race 25c

SIZES - 48, 51, 54, 56, 58



FELT BICYCLES / CALIFORNIA

# IA | ADVANCED | 105 RIM BRAKE

MIDNIGHT GEO

**Frame:** Felt IntegratedAero Disc | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt IntegratedAero Dagger Disc | UHC Advanced + TeXtreme carbon fiber

**Headset:** IS (IS-2)

**Speed:** 2x11-speed

**Shifters:** microSHIFT A11, TRI/TT

**Front Derailleur:** Shimano 105 R7000, braze-on

**Rear Derailleur:** Shimano 105 R7000, short cage

**Crankset:** Shimano 105 R7000, 52/36T

**Bottom Bracket:** Shimano RS500

**Freewheel / Cassette:** Shimano 105 R7000, 11-28T

**Chain:** Shimano 105 HG601

**Brake Levers :** Tektro TL720

**Brakes :** Front: Shimano 105 R7000 dual-pivot caliper / Rear: Shimano 105 R7010-R under bottom bracket mount caliper

**Front Wheel:** Devox WheelRRS.A1 | 24/19, Shimano hubs

**Rear Wheel:** Devox WheelRRS.A1 | 24/19, Shimano hubs

**Tires:** Continental Grand Sport Race, 700x25c

**Quick Release:** QR100 front, QR 130 rear horizontal with integrated adjusters

**Stem:** Felt Dagger 31.8 | Lite aluminum

**Handlebar:** BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt AeroTRI IL 1.0 VM | UHC Advanced carbon fiber

**Saddle:** ISM PS1.1

**Accessories:** IA CALpac 2.0 Top Tube storage / IA BTSpac Seat Tube storage box / Compliance Channel aero seatpost covers / Carbon assembly paste

B
The time trial. One rider against the clock. No teammates, and nowhere to hide.
Some say it's the truest form of cycling competition. So when every watt matters,
you'll need a bike as committed to the effort as you are.
vittoria ZAFFIRO PRO SLICK
TIME

# B | PERFORMANCE | ULTEGRA

CHARCOAL

**FRAME / FORK** Felt Aero TRI/TT | UHC Performance carbon fiber
**GROUP** Shimano Ultegra R8000, 2x11 - 52/36T, 11-28T
**WHEELS** Devox WheelRRS.A1 | 27/17, aluminum, Shimano hubs, Vittoria Zaffiro Pro Slick 23c

SIZES - 47, 51, 54, 56, 58, 61

# B | PERFORMANCE | ULTEGRA

CHARCOAL

**Frame:** Felt Aero TRI/TT | UHC Performance carbon fiber

**Fork:** Felt Aero TT/Tri | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (IS-21)

**Speed:** 2x11-speed

**Shifters:** microSHIFT A11, TRI/TT

**Front Derailleur:** Shimano Ultegra R8000, braze-on

**Rear Derailleur:** Shimano Ultegra R8000, short cage

**Crankset:** Shimano Ultegra R8000, 52/36T

**Bottom Bracket:** Shimano BBR60

**Freewheel / Cassette:** Shimano 105 R7000, 11-28T

**Chain:** Shimano HG601

**Brake Levers :** Tektro TL720

**Brakes :** Front: Shimano Ultegra R8000 dual-pivot caliper / Rear: Tektro T822 under bottom bracket mount caliper

**Front Wheel:** Devox WheelRRS.A1 | 27/17, Shimano hubs

**Rear Wheel:** Devox WheelRRS.A1 | 27/17, Shimano hubs

**Tires:** 47cm: Vittoria Rubino G+, 650x23c / 51, 54, 56, 58, 61cm: Vittoria Zaffiro Pro Slick, 700x23c

**Quick Release:** QR100 front, QR 130 rear horizontal with integrated adjusters

**Stem:** Devox StemR.A2 17D

**Handlebar:** BaseBar - Devox Bayonet 3.1 | SuperLite aluminum / Extensions: Devox Ergomod | aluminum

**Bartape:** Felt EVA arm pads with anti-microbial cover and Felt Gel tape

**Seatpost:** Felt Aero TRI/TT +25 | UHC Advanced

**Saddle:** Prologo Dimension Tri STN

**Accessories:** Carbon assembly paste

2021

# BREED

Gravel is the new breed of cycling. It's all about chasing the sunset, gaining a fresh perspective on your favorite roads and local trails, and further expanding the incredible freedom that a bicycle can provide.

FELT
BICYCLES / CALIFORNIA

# BREED | 20 | FORCE CX1

SATIN VELVET

**FRAME** Felt Gravel | SuperLite aluminum **FORK** Adventure | UHC Advanced carbon fiber

**GROUP** SRAM Force 1, 1x11 - 40T, 11-42T

**WHEELS** Devox WheelRDS.A0 GXA | 30/21, aluminum, Vittoria Terreno Dry Tubeless TNT 700x40c

SIZES - 47, 51, 54, 56, 58, 61

# BREED | 20 | FORCE CXI

SATIN VELVET

**Frame:** Felt Gravel | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Advanced carbon fiber

**Headset:** IS (NO.42)

**Speed:** 1x11-speed

**Shifters:** SRAM Force 1 Hydraulic

**Front Derailleur:** N/A

**Rear Derailleur:** SRAM Force 1, long cage

**Crankset:** Praxis Works Zayante Carbon-S, 40T DM WT

**Bottom Bracket:** Threaded T47 86.5mm

**Freewheel / Cassette:** SRAM PG-1130, 11-42T

**Chain:** SRAM PC-1130

**Brakes :** SRAM Force 1, hydraulic disc, flat mount

**Brake Rotors:** SRAM Centerline, Center Lock, 160mm

**Front Wheel:** Devox WheelRDS.A0 GXA | 30/21

**Rear Wheel:** Devox WheelRDS.A0 GXA | 30/21

**Tires:** Vittoria Terreno Dry, Tubeless Ready (TNT), Anthracite Sidewall, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A1

**Handlebar:** Devox DBar.A1 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-

**Seatpost:** Devox Post.C2

**Saddle:** Prologo Dimension NDR T4.0

**Accessories:** BREED fender system - removable eye-bolts, chain stay fender mount, and seat stay fender bridge / Carbon assembly paste

# BREED | 30 | GRX 600

SATIN GLOW GREEN

**FRAME** Felt Gravel | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber

**GROUP** Shimano GRX 600. 1x11 - 40T, 11-42T

**WHEELS** Devox WheelRDS.A1 with Shimano hubs | 23/21, aluminum, Vittoria Terreno Dry Tubeless TNT 700x40c

SIZES - 47, 51, 54, 56, 58, 61

# BREED | 30 | GRX 600

SATIN GLOW GREEN

**Frame:** Felt Gravel | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 1x11-speed

**Shifters:** Shimano GRX RX600

**Front Derailleur:** N/A

**Rear Derailleur:** Shimano GRX RX812

**Crankset:** Shimano GRX RX600, 40T

**Bottom Bracket:** Threaded T47 86.5mm

**Freewheel / Cassette:** Shimano M7000, 11-42T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano GRX RX400, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Vittoria Terreno Dry, Tubeless Ready (TNT), Anthracite Sidewall, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A1 GXA

**Bartape:** Felt Gel tape with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.C2

**Saddle:** Prologo Dimension NDR T4.0

**Accessories:** BREED fender system - removable eye-bolts, chain stay fender mount, and seat stay fender bridge / Carbon assembly paste

2021

# BROAM

The Broam craves two-wheeled adventure. Designed for riders as diverse as the utilitarian urbanite to the rugged outdoors fan, the Broam is equally at home on one's daily commute to bikepacking through the wilderness.

FELT
BICYCLES / CALIFORNIA

# BROAM | 30 | GRX 600

MIDNIGHT BLUE FADE

**FRAME** Felt Adventure | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber

**GROUP** Shimano GRX 600, 2x11 - 46/30T, 11-34T

**WHEELS** Devox WheelRDS.A1 with Shimano hubs | 23/21, aluminum, Maxxis Re-Fuse Max Shield tubeless ready, 700x40c

SIZES - 47, 51, 54, 56, 58, 61

# BROAM | 30 | GRX 600

MIDNIGHT BLUE FADE

**Frame:** Felt Adventure | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano GRX RX600

**Front Derailleur:** Shimano GRX RX810, braze-on with Ø31.8mm clamp adapter

**Rear Derailleur:** Shimano GRX RX810

**Crankset:** Shimano GRX RX600, 46/30T

**Bottom Bracket:** Shimano RS500

**Freewheel / Cassette:** Shimano 105 HG700, 11-34T

**Chain:** Shimano 105 HG601

**Brakes :** Shimano GRX RX400, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Maxxis Refuse with Max Shield, tubeless ready, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Selle Royal Essenza Gel

**Accessories:** N/A

# BROAM | 40 | GRX 400

SAGE MIST

**FRAME** Felt Adventure | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber
**GROUP** Shimano GRX 400, GRX 600 crank, Tiagra brake lever/shifters, 2x10 - 46/30T, 11-34T
**WHEELS** Devox WheelRDS.A1 with Shimano hubs | 23/21 aluminum, Maxxis Refuse with Silkworm 700x40c

SIZES - 47, 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

# BROAM | 40 | GRX 400

SAGE MIST

**Frame:** Felt Adventure | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x10-speed

**Shifters:** Shimano Tiagra 4700

**Front Derailleur:** Shimano GRX RX400, braze-on with Ø31.8mm clamp band

**Rear Derailleur:** Shimano GRX RX400

**Crankset:** Shimano GRX RX600-10, 46/30T

**Bottom Bracket:** Shimano RS500

**Freewheel / Cassette:** Shimano HG500, 11-34T

**Chain:** Shimano HG54

**Brakes :** TRP HY/RD, cable actuated hydraulic disc, flat mount

**Brake Rotors:** TRP TR-35, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Maxxis Refuse with Silkworm, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 VA

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Selle Royal Essenza Gel

**Accessories:** N/A

# BROAM | 60 | CLARIS

DUCK EGG BLUE

BLACK

**FRAME** Felt Adventure | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber

**GROUP** Shimano Claris R2000, Shimano RS200 crank, 2x8 - 46/34T, 11-34T

**WHEELS** Devox WheelRDS.A3 | 23/21, aluminum, Maxxis Refuse with Silkworm, wire bead 700x40c

SIZES - 47, 51, 54, 56, 58, 61



FELT BICYCLES / CALIFORNIA

# BROAM | 60 | CLARIS

DUCK EGG BLUE

BLACK

**FRAME** Felt Adventure | SuperLite aluminum **FORK** Felt Gravel - Adventure | UHC Performance carbon fiber

**GROUP** Shimano Claris R2000, Shimano RS200 crank, 2x8 - 46/34T, 11-34T

**WHEELS** Devox WheelRDS.A3 | 23/21, aluminum, Maxxis Refuse with Silkworm, wire bead 700x40c

SIZES - 47, 51, 54, 56, 58, 61

# BROAM | 60 | CLARIS

DUCK EGG BLUE

BLACK

**Frame:** Felt Adventure | SuperLite aluminum

**Fork:** Felt Gravel - Adventure | UHC Performance carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x8-speed

**Shifters:** Shimano Claris R2000

**Front Derailleur:** Shimano Claris R2000, band type, Ø31.8mm

**Rear Derailleur:** Shimano Sora R3000, medium cage

**Crankset:** Shimano RS200, 46/34T

**Bottom Bracket:** Shimano UN26, 110mm

**Freewheel / Cassette:** Shimano HG318, 11-34T

**Chain:** Shimano HG71

**Brakes :** Tektro MD-C550, dual piston disc, flat mount

**Brake Rotors:** Tektro TR-22, 160/140mm

**Front Wheel:** Devox WheelRDS.A3 | 23/21

**Rear Wheel:** Devox WheelRDS.A3 | 23/21

**Tires:** Maxxis Refuse with Silkworm, wire bead, 700x40c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 VA

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt VelvetGel tape with 3M reflective base and Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Selle Royal Essenza Gel

**Accessories:** N/A

# FX

**Mud, dirt, sand, snow, and rocks. That's cyclocross. It takes something special to emerge from amidst the roar of the crowd and the cacophony of the cowbells. Like the two-time world championship-winning Fx.**

PHOTO : KRAMON

FELT
BICYCLES / CALIFORNIA

# FX | ADVANCED + | CX1

SATIN AQUAFRESH

**FRAME** Felt Cyclocross 2.5 | UHC Advanced + TeXtreme carbon fiber **FORK** Felt Cyclocross 2.5 | UHC Ultimate + TeXtreme carbon fiber

**GROUP** SRAM Force CX1, 1x11 - 38T & 40T, 11-36T

**WHEELS** ZIPP 30 COURSE with Devox hubs, aluminum, Schwalbe X-ONE All Around, MicroSkin, Tubeless 700x33c

SIZES - 47, 50, 53, 55, 57, 60

# FX | ADVANCED + | CXI

SATIN AQUAFRESH

**Frame:** Felt Cyclocross 2.5 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt Cyclocross 2.5 | UHC Ultimate + TeXtreme carbon fiber

**Headset:** IS (NO.42)

**Speed:** 1x11-speed

**Shifters:** SRAM Force 1 Hydraulic

**Front Derailleur:** N/A

**Rear Derailleur:** SRAM Force 1, long cage

**Crankset:** Quarq Prime Carbon, X-SYNC 38T installed, X-SYNC 40T in box

**Bottom Bracket:** Token Ninja Lite, BB386 (30mm)

**Freewheel / Cassette:** SRAM PG-1130, 11-36T

**Chain:** SRAM PC-1130

**Brakes :** SRAM Force 1, hydraulic disc, flat mount

**Brake Rotors:** SRAM Centerline, Center Lock, 160mm

**Front Wheel:** ZIPP 30 COURSE with Devox hubs

**Rear Wheel:** ZIPP 30 COURSE with Devox hubs

**Tires:** Schwalbe X-One All Around, MicroSkin, Tubeless Easy, 700x33c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Zipp Service Course SL, Beyond Black

**Handlebar:** ZIPP Service Course SL-70 ERGO

**Bartape:** Felt Gel tape with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** ZIPP Service Course SL, 20mm, Beyond Black

**Saddle:** Prologo Dimension NDR TiRox

**Accessories:** SRAM hose fitting kit (2x threaded hose barbs and red comp fittings) / Carbon assembly paste

# FX | ADVANCED | GRX 600

WHITE

**FRAME** Felt Cyclocross 2.5 | UHC Advanced + TeXtreme carbon fiber **FORK** Felt Cyclocross 2.5 | UHC Advanced + TeXtreme carbon fiber with aluminum steerer tube

**GROUP** Shimano GRX 600, 2x11 - 46x30, 11-30T

**WHEELS** Devox WheelRDS.A1 | 23/21, Shimano hubs, aluminum, Schwalbe X-ONE All Around, MicroSkin, Tubeless 700x33c

SIZES - 47, 50, 53, 55, 57, 60



FELT BICYCLES / CALIFORNIA

# FX | ADVANCED | GRX 600

WHITE

**Frame:** Felt Cyclocross 2.5 | UHC Advanced + TeXtreme carbon fiber

**Fork:** Felt Cyclocross 2.5 | UHC Advanced + TeXtreme carbon fiber with aluminum steerer tube

**Headset:** IS (NO.42)

**Speed:** 2x11-speed

**Shifters:** Shimano GRX RX600

**Front Derailleur:** Shimano GRX RX810, braze-on with Ø34.9mm clamp band

**Rear Derailleur:** Shimano GRX RX810

**Crankset:** Shimano GRX RX600, 46/30T

**Bottom Bracket:** Token Ninja Lite, BB386 for Shimano (24mm)

**Freewheel / Cassette:** Shimano 105 R7000, 11-30T

**Chain:** Shimano HG601

**Brakes :** Shimano GRX RX400, hydraulic disc, flat mount

**Brake Rotors:** Shimano RT70, Center Lock, 160/140mm

**Front Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Rear Wheel:** Devox WheelRDS.A1 | 23/21, Shimano hubs

**Tires:** Schwalbe X-One All Around, MicroSkin, Tubeless Easy, 700x33c

**Thru Axles:** TA 12x100, TA 12x142

**Stem:** Devox StemR.A2 6D

**Handlebar:** Devox DBar.A2 GXA

**Bartape:** Felt Gel tape with Felt Bubble-Tech F-Wing bar end plugs

**Seatpost:** Devox Post.A3

**Saddle:** Prologo Dimension NDR T4.0

**Accessories:** Shimano hose fitting kit (2x olives and connector inserts) / Carbon assembly paste

## TK

Racing matters. Whether it's on the road, the dirt, or on the boards of the velodrome, we've always thrived in the realm of competition. We've long supported the most dedicated track racers in the world, and continue to do so with the most revolutionary track bikes that the world has ever seen.

# TK FRD | ULTIMATE

WHITE

**FRAME / FORK** Felt Aero Track 2.0 | UHC Ultimate + TeXtreme carbon fiber

**SEATPOST** Felt AeroTrack IL 1.0 | UHC Ultimate + TeXtreme carbon fiber / Felt AeroTrack IL 1.0 -20 | UHC Ultimate + TeXtreme carbon fiber

SIZES - 51, 55, 58, 60, 62

| Size | 48 | 51 | 54 | 56 | 58 | 61 |
|---|---|---|---|---|---|---|
| HA | 71 | 72.1 | 73 | 73.5 | 74 | 74 |
| SA | 74.5 | 74 | 73.5 | 73.5 | 73.5 | 73 |
| TT Horiz | 510 | 530 | 543 | 560 | 580 | 605 |
| TT C-C | | | | | | |
| HT Length | 97.5 | 107.5 | 127 | 147 | 167 | 197.5 |
| Seat Tube C-T | 441 | 473 | 502.5 | 526 | 553 | 601 |
| Seat Tube C-C | 420 | 453 | 485 | 505 | 536 | 580 |
| BB Drop | 72 | 70 | 70 | 70 | 70 | 70 |
| BB Rise | | | | | | |
| CS | 408 | 408 | 410 | 410 | 410 | 410 |
| Front Center | 577 | 579 | 580 | 588 | 603 | 622 |
| Wheelbase | 974 | 977 | 980 | 988 | 1003 | 1024 |
| Standover | 705 | 734 | 760 | 780 | 807 | 845 |
| Fork Length | 373.5 | 373.5 | 373.5 | 373.5 | 373.5 | 373.5 |
| Rake | 52 | 47 | 47 | 43 | 43 | 43 |
| Lower HS Stack | 1 | 1 | 1 | 1 | 1 | 1 |
| Reach | 367 | 379 | 382 | 392 | 406 | 417 |
| Stack | 510 | 523 | 545 | 567 | 588 | 617 |

| Size | 43 | 47 | 51 | 54 | 56 | 58 | 61 |
|---|---|---|---|---|---|---|---|
| HA | 70.5 | 71.5 | 72.25 | 73 | 73.5 | 73.75 | 74 |
| SA | 75.25 | 74.5 | 74 | 73.5 | 73.5 | 73.25 | 73 |
| TT Horiz | 495 | 512 | 530 | 548 | 563 | 583 | 604 |
| TT C-C | | | | | | | |
| HT Length | 90 | 100 | 115 | 135 | 155 | 177 | 205 |
| Seat Tube C-T | 405 | 425 | 465 | 505 | 525 | 555 | 595 |
| Seat Tube C-C | | | | | | | |
| BB Drop | 72 | 72 | 72 | 70 | 70 | 70 | 70 |
| BB Rise | | | | | | | |
| CS | 403 | 403 | 403 | 405 | 405 | 407 | 410 |
| Front Center | 573 | 575 | 577 | 585 | 591 | 606 | 621 |
| Wheelbase | 965 | 967 | 969 | 980 | 986 | 1003 | 1021 |
| Standover | 657 | 676 | 710 | 747 | 767 | 790 | 828 |
| Fork Length | 380 | 380 | 380 | 380 | 380 | 380 | 380 |
| Rake | 52 | 52 | 47 | 47 | 43 | 43 | 43 |
| Lower HS Stack | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Reach | 362 | 369 | 377 | 385 | 394 | 405 | 414 |
| Stack | 499 | 512 | 530 | 550 | 572 | 594 | 621 |

| Size | 43 | 47 | 51 | 54 | 56 | 58 | 61 |
|---|---|---|---|---|---|---|---|
| HA | 70.3 | 71.3 | 72 | 72.5 | 72.5 | 72.5 | 72.5 |
| SA | 75.3 | 74.7 | 74.5 | 74 | 73.5 | 73 | 73 |
| TT Horiz | 495 | 510 | 525 | 545 | 563 | 580 | 595 |
| TT C-C | 479 | 494 | 506 | 524 | 540 | 556 | 571 |
| HT Length | 115 | 130 | 145 | 165 | 185 | 205 | 225 |
| Seat Tube C-T | 410 | 430 | 450 | 480 | 500 | 520 | 550 |
| Seat Tube C-C | | | | | | | |
| BB Drop | 72 | 72 | 70 | 70 | 70 | 70 | 70 |
| BB Rise | | | | | | | |
| CS | 412 | 412 | 415 | 415 | 415 | 417 | 417 |
| Front Center | 576 | 580 | 583 | 595 | 608 | 620 | 635 |
| Wheelbase | 977 | 981 | 989 | 1000 | 1013 | 1027 | 1042 |
| Standover | 665 | 687 | 708 | 737 | 757 | 777 | 805 |
| Fork Length | 380 | 380 | 380 | 380 | 380 | 380 | 380 |
| Rake | 52 | 52 | 50 | 50 | 50 | 50 | 50 |
| Lower HS Stack | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Reach | 355 | 363 | 369 | 379 | 386 | 392 | 401 |
| Stack | 521 | 539 | 555 | 576 | 595 | 614 | 633 |

| Size | 48 | 51 | 54 | 56 | 58 |
|---|---|---|---|---|---|
| HA | 71.5 | 71.5 | 72 | 72 | 72 |
| SA | 79.5 | 79 | 78.5 | 78 | 77.5 |
| TT Horiz | 468 | 486 | 510 | 541 | 573 |
| TT C-C | | | | | |
| HT Length | 67.5 | 96 | 111 | 136 | 163 |
| Seat Tube C-T | 496 | 525 | 546 | 571 | 598 |
| Seat Tube C-C | | | | | |
| BB Drop | 72 | 72 | 72 | 72 | 72 |
| BB Rise | | | | | |
| CS | 408.5 | 408.5 | 408.5 | 408.5 | 408.5 |
| Front Center | 572 | 589 | 602 | 630 | 659 |
| Wheelbase | 969.5 | 986.5 | 999.5 | 1028.5 | 1057.5 |
| Standover | 744 | 776 | 790 | 819 | 840 |
| Fork Length | 376 | 376 | 376 | 376 | 376 |
| Rake | 50 | 50 | 45 | 45 | 45 |
| Lower HS Stack | 1 | 1 | 1 | 1 | 1 |
| Reach | 381 | 389 | 405 | 426 | 447 |
| Stack | 473 | 501 | 520 | 544 | 569 |

| Size | 51 | 54 | 56 | 58 |
|---|---|---|---|---|
| HA | 72.5 | 73 | 73 | 73 |
| SA | 76-78.1 | 76-78 | 76-78 | 76-78 |
| TT Horiz | 500-520 | 521-540 | 541-560 | 561-580 |
| TT C-C | 520 | 540 | 560 | 580 |
| HT Length | 80 | 88 | 108 | 128 |
| Seat Tube C-T | 510 | 540 | 560 | 580 |
| Seat Tube C-C | 495 | 525 | 545 | 565 |
| BB Drop | 70 | 70 | 70 | 70 |
| BB Rise | | | | |
| CS | 395 | 395 | 395 | 395 |
| Front Center | 577 | 593 | 614 | 635 |
| Wheelbase | 962 | 978 | 999 | 1020 |
| Standover | 770 | 794 | 813 | 833 |
| Fork Length | 370 | 370 | 370 | 370 |
| Rake | 40 | 40 | 40 | 40 |
| Lower HS Stack | 1 | 1 | 1 | 1 |
| Reach | 399 | 416 | 432 | 447 |
| Stack | 488 | 497 | 516 | 536 |

| Size | 51 | 54 | 56 | 58 | 61 |
|---|---|---|---|---|---|
| HA | 72.5 | 73 | 73 | 73 | 73 |
| SA | 76 | 76 | 76 | 76 | 76 |
| TT Horiz | 518 | 539 | 559 | 579 | 594 |
| TT C-C | 515 | 540 | 560 | 580 | 594 |
| HT Length | 115 | 127 | 147 | 167 | 198 |
| Seat Tube C-T | 510 | 540 | 560 | 580 | 610 |
| Seat Tube C-C | | | | | |
| BB Drop | 70 | 70 | 70 | 70 | 70 |
| BB Rise | | | | | |
| CS | 395 | 395 | 395 | 395 | 395 |
| Front Center | 577 | 593 | 614 | 635 | 652 |
| Wheelbase | 961 | 978 | 999 | 1020 | 1037 |
| Standover | 743 | 764 | 779 | 780 | 780 |
| Fork Length | 370 | 370 | 370 | 370 | 370 |
| Rake | 40 | 40 | 40 | 40 | 40 |
| Lower HS Stack | 1 | 1 | 1 | 1 | 1 |
| Reach | 388 | 405 | 420 | 436 | 444 |
| Stack | 521 | 535 | 554 | 573 | 602 |

| Size | 47 | 51 | 54 | 56 | 58 | 61 |
|---|---|---|---|---|---|---|
| HA | 70 | 70.5 | 70.5 | 71 | 71.5 | 71.5 |
| SA | 74 | 74 | 74 | 73 | 73 | 72 |
| TT Horiz | 530 | 540 | 555 | 570 | 585 | 600 |
| TT C-C | 506 | 516 | 531 | 544 | 558 | 573 |
| HT Length | 130 | 135 | 150 | 165 | 180 | 200 |
| Seat Tube C-T | 440 | 470 | 500 | 520 | 540 | 570 |
| Seat Tube C-C | 397 | 516 | 531 | 544 | 558 | 573 |
| BB Drop | 72 | 72 | 72 | 72 | 72 | 72 |
| BB Rise | | | | | | |
| CS | 420 | 420 | 420 | 420 | 420 | 420 |
| Front Center | 603 | 610 | 620 | 625 | 629 | 639 |
| Wheelbase | 1013 | 1019 | 1030 | 1035 | 1039 | 1048 |
| Standover | 687 | 708 | 737 | 757 | 777 | 805 |
| Fork Length | 400 | 400 | 400 | 400 | 400 | 400 |
| Rake | 50 | 50 | 50 | 50 | 50 | 50 |
| Lower HS Stack | 1 | 1 | 1 | 1 | 1 | 1 |
| Reach | 374 | 379 | 385 | 389 | 394 | 397 |
| Stack | 544 | 561 | 575 | 591 | 607 | 626 |

| Size | 47 | 51 | 54 | 56 | 58 | 61 |
|---|---|---|---|---|---|---|
| HA | 70.5 | 70.5 | 71 | 71 | 71 | 71 |
| SA | 74 | 74 | 74 | 73 | 73 | 73 |
| TT Horiz | 530 | 535 | 555 | 570 | 580 | 595 |
| TT C-C | 512 | 517 | 534 | 546 | 557 | 572 |
| HT Length | 125 | 145 | 165 | 180 | 200 | 220 |
| Seat Tube C-T | 410 | 435 | 460 | 485 | 515 | 545 |
| Seat Tube C-C | 365 | 391 | 416 | 442 | 472 | 502 |
| BB Drop | 72 | 72 | 72 | 72 | 72 | 72 |
| BB Rise | | | | | | |
| CS | 450 | 450 | 450 | 450 | 450 | 450 |
| Front Center | 599 | 605 | 616 | 626 | 636 | 652 |
| Wheelbase | 1039 | 1045 | 1056 | 1066 | 1076 | 1092 |
| Standover | 688 | 713 | 720 | 762 | 790 | 818 |
| Fork Length | 400 | 400 | 400 | 400 | 400 | 400 |
| Rake | 50 | 50 | 50 | 50 | 50 | 50 |
| Lower HS Stack | 1 | 1 | 1 | 1 | 1 | 1 |
| Reach | 372 | 372 | 380 | 385 | 389 | 398 |
| Stack | 551 | 570 | 591 | 605 | 324 | 643 |

| Size | 47 | 50 | 53 | 55 | 57 | 60 |
|---|---|---|---|---|---|---|
| HA | 70.5 | 70.5 | 71 | 72 | 72 | 72 |
| SA | 75.5 | 74.5 | 73.5 | 73.5 | 73.5 | 73.5 |
| TT Horiz | 515 | 530 | 545 | 565 | 580 | 600 |
| TT C-C | 501 | 515 | 530 | 548 | 563 | 583 |
| HT Length | 110 | 120 | 130 | 150 | 170 | 190 |
| Seat Tube C-T | 470 | 500 | 530 | 550 | 570 | 590 |
| Seat Tube C-C | 410 | 440 | 470 | 490 | 510 | 530 |
| BB Drop | 65 | 65 | 65 | 65 | 65 | 65 |
| BB Rise | | | | | | |
| CS | 430 | 430 | 430 | 430 | 430 | 430 |
| Front Center | 599 | 604 | 605 | 611 | 626 | 647 |
| Wheelbase | 1022 | 1028 | 1029 | 1033 | 1048 | 1068 |
| Standover | 726 | 750 | 775 | 796 | 815 | 834 |
| Fork Length | 393 | 393 | 393 | 393 | 393 | 393 |
| Rake | 50 | 50 | 50 | 45 | 45 | 45 |
| Lower HS Stack | 1 | 1 | 1 | 1 | 1 | 1 |
| Reach | 380 | 382 | 384 | 397 | 406 | 420 |
| Stack | 523 | 533 | 544 | 568 | 587 | 607 |

| Size | 52 | 55 | 57 | 60 |
|---|---|---|---|---|
| HA | 73 | 73.5 | 74 | 74.5 |
| SA | 74 | 74 | 74 | 73.5 |
| TT Horiz | 530 | 550 | 570 | 600 |
| TT C-C | 530 | 550 | 570 | 600 |
| HT Length | 80 | 90 | 110 | 135 |
| Seat Tube C-T | 505 | 525 | 545 | 570 |
| Seat Tube C-C | 455 | 475 | 495 | 520 |
| BB Drop | 55 | 55 | 55 | 55 |
| BB Rise | | | | |
| CS | 375 | 375 | 375 | 375 |
| Front Center | 566 | 582 | 598 | 619 |
| Wheelbase | 935 | 950 | 967 | 987 |
| Standover | 745 | 754 | 774 | 800 |
| Fork Length | 365 | 365 | 365 | 365 |
| Rake | 40 | 40 | 40 | 40 |
| Lower HS Stack | 1 | 1 | 1 | 1 |
| Reach | 395 | 412 | 426 | 444 |
| Stack | 469 | 480 | 501 | 527 |

2021

FELT
BICYCLES / CALIFORNIA

2021

# FELT®

BICYCLES / CALIFORNIA